

# **B** DIKAR

DIKAR S. COOP Ugarte, 26 20570 Bergara-Guipúzcoa info@bergararifles.com Tel.: +34 943 769 893

Facebook

You Youtube

Website

Blog

Instagram

2022 EN-V2

2022 INTERNATIONAL

# BARRELS MAKETHE DIFFERENCE

### A HISTORY OF PRECISION

With the most technically-advanced barrel manufacturing techniques, state-of-the-art machinery, and an unwavering commitment to quality, Bergara Barrels has become the barrel source of numerous top-tier gun manufacturers in both Europe and the United States. Bergara is producing a full line of precision firearms engineered and built to showcase the performance capabilities of our world-class barrels.

At Bergara, we believe that a precision firearm requires not only the best components, but also an assembly process that is carried out by individuals who are the best of the best at their craft. For this reason, we brought together a team of the world's most talented and experienced firearm builders.

It all began several years ago when we first began with a small line of custom rifles and one top-notch craftsman, the former Production Chief and Chief Instructor for the United States Marine Corps Precision Weapons Section. As Bergara rapidly grew, we then assembled a hand-picked group.

Today, that team forms the core of our production team. They pass on their knowledge and expertise to every new employee, thereby bringing their own real world experience and expertise to every Bergara firearm.

### EVERY RIFLE STARTS WITH A PRECISION BARREL

### STEP 1 FACE TURNING

The solid bar is face turned in order to assure straight deep hole drilling. Each Bergara barrel must begin with a straight bar of cylindrical steel. We inspect every bar to ensure it meets a deviation of less than 4/1,000 (or .004) of an inch. Many barrel manufacturers never even evaluate this aspect of a barrel and consequently hinder the barrel's accuracy potential.

### STEP 2 DEEP HOLE DRILLING

Once the steel bar is straightened, it moves on to a four-spindle deep hole drilling machine where a specialized bit drills a perfect hole through the entire length of the bar.

### STEP 3 TURNING

Turning the barrel before honing helps get a better bore finish.

### STEP 4 BARREL HONING

Most other barrel manufacturers move from deep hole drilling to reaming, a process that leaves tool marks in the bore. Instead of reaming, Bergara uses three separate honing spindles that utilize diamond tipped bits that polish the interior surface of the barrel to a mirror-like finish that is almost completely free of tool marks. This time-consuming step lends Bergara a level of accuracy on par with barrels costing much more.

### STEP 5 BUTTON RIFLING

A carbide rifling button is drawn through the barrel to produce the rifling grooves at the appropriate twist rate for each caliber. This produces a groove diameter deviation of less than 2/10,000 (or .0002") of an inch. It's the same result that many gunsmiths accomplish by hand lapping.

### STEP 6 STRESS RELIEVING

Finally, a high temperature heating process realigns the steel molecules ensuring that the barrel is free from any stress after the button rifling process. Doing so the barrel will be more reliable and will last more rounds.

| 4-9 |
|-----|
| б   |
| 7   |
| 8   |
|     |

### WILDERNESS SERIES ..... 10-15

| Terrain | 12 |
|---------|----|
| HMR     | 13 |
| Ridge   | 14 |
| Hunter  | 15 |

## Hunter.....

| Hunter Viper Urban    | 19 |
|-----------------------|----|
| Sporter               | 20 |
| Sporter Viper Western | 21 |

### B-14 SERIES .....

| B14 <sup>2</sup> Crest | 24 |
|------------------------|----|
| BMP                    | 25 |
| HMR                    | 26 |
| HMR Green              | 27 |
| Sporter                | 28 |
| Sporter Green          | 29 |
| Timber                 | 30 |
| Hunter                 | 31 |


### 

| B14R Trainer Carbon | 34 |
|---------------------|----|
| B14R Trainer Steel  | 35 |
| BMR Carbon          | 36 |
| BMR Steel           | 37 |
| BXR Carbon          | 38 |
| BXR Steel           | 39 |

### BA13 TD SERIES ...... 40-47

| Thumbhole             | 42    |
|-----------------------|-------|
| Standard              | 43    |
| Thumbhole Camo Strata | 44    |
| Standard Camo Strata  | 45    |
| Thumbhole Green       | 46    |
| Standard Green        | 47    |
| ACCESSORIES           | 48-53 |

SPECIFICATIONS ..... 54-58



### PREMIER SERIES

Think of our Premier Series as an extension of our US Custom Series, but with standardized features for greater efficiencies in parts production and assembly – providing near custom performance at prices that are affordable to serious shooters.

Bergara's premium stainless steel barrels receive a proprietary honing process at our barrel making facility in Bergara, Spain. Then, at the Bergara USA factory, the barrel receives a Cerakote<sup>™</sup> finish and is coupled with our proprietary Bergara PREMIER action, featuring a nonrotating gas shield, coned bolt nose, and sliding plate extractor.

Premier Series rifles are built by hand and offer each shooter a wide variety of stock options. Choose from multiple carbon fiber, fiberglass, composite, and precision machined chassis stock offerings. All Premier Series rifles are built around legendary Bergara barrels and feature world-famous TriggerTech<sup>®</sup> triggers, among other industry-best components. All rifles are hand assembled in house by our qualified builders to our exacting standards and precise specifications and are guaranteed to produce sub-MOA groups using factory ammunition.

| BERGARA PREMIER ACTION | <ul> <li>Premium stainless steel wit</li> <li>2 locking lugs located on the</li> <li>Separate "floating" bolt heat</li> <li>Cone-shaped bolt nose ass</li> <li>Sliding plate extractor</li> <li>Ejector is a spring loaded p</li> <li>1-piece stainless steel bolt</li> <li>90° bolt throw angle</li> <li>Firing assembly is bayonet<br/>Simply twist the bolt shrouge</li> </ul> |
|------------------------|---|
| BERGARA BARREL         | <ul> <li>Made from 410 AISI stainles</li> <li>Cerakote<sup>**</sup> finish</li> <li>All Premier Rifles are guar factory ammunition</li> </ul>   |
| TRIGGER                | <ul> <li>All Premier rifles feature ex<br/>Technology<sup>™</sup> as standard eq</li> </ul>   |
| SAFETY MECHANISMS      | <ul> <li>The 2-position safety is par<br/>in the safe position</li> <li>Non-rotating gas shield be<br/>the event of a case or prime</li> </ul>  |
|                        |   |

l with Cerakote™ finish

- on the front of the bolt head
- head assures contact with lug abutments
- e assures smooth feeding

ed plunger located in the bolt face bolt body with threaded-in bolt handle

net style allowing quick access to the firing pin assembly roud and the entire firing assembly can be removed without tools

inless steel

guaranteed to produce sub-MOA groups at 100 yards using quality

re externally adjustable TriggerTech<sup>®</sup> triggers and Frictionless Release d equipment

s part of the trigger assembly. It allows the rifle to be unloaded while

d behind the bolt head protects the shooter from gas and debris in primer rupture



### HIGHLANDER

| WEIGHT     | 3.3 kg (7.3 lbs) - 3.4 kg (7.7 lbs)  |
|------------|--|
| LENGTHS    | 51 cm (20") - 61 cm (24") barrel   |
|            | 98 cm (38.5") - 109 cm (43") overall   |
| BARREL     | 17.8 mm / No. 5 taper, fluted  |
|            | Threaded 5/8"-24 UNEF with Omni Muzzle<br>Brake                              |
| FINISH     | Sniper grey Cerakote™  |
| STOCK      | Grayboe <sup>®</sup> fiberglass  |
| TRIGGER    | TriggerTech <sup>®</sup> Frictionless Release Technology <sup>™</sup>        |
| MAGAZINE   | Hinged floor plate:  |
|            | 4 round capacity in standard calibers<br>3 round capacity in magnum calibers |
| SCOPEMOUNT | Fits Remington 700° bases with 8-40 screws                                   |

\* Featuring the Bergara Premier action

| CALIBER        | TWIST  |
|----------------|--------|
| 6.5 Creedmoor  | 1:8″   |
| .308 Win.      | 1:10"  |
| 7mm Rem. Mag.  | 1:9.5″ |
| .300 Win. Mag. | 1:10″  |
|                |        |

\* See page 54 for full specifications



### **MOUNTAIN 2.0**

| WEIGHT   | 2.8 kg (6.2 lbs) - 2.9 kg (6.4 lbs)  |
|----------|--|
| LENGTHS  | 56 cm (22") - 61 cm (24") barrel   |
|          | 105 cm (41.5") - 112 cm (44") overall  |
| BARREL   | 15 mm / No. 3 taper  |
| FINISH   | Tactical grey Cerakote™  |
| STOCK    | AG Composite 100% carbon fiber   |
| TRIGGER  | TriggerTech <sup>®</sup> Frictionless Release Tee  |
| MAGAZINE | Hinged floor plate:  |
|          | 4 round capacity in standard calibers<br>3 round capacity in magnum calibers<br>2 round capacity: 300 PRC, 6.5 PRC |
|          |  |

SCOPEMOUNT Fits Remington 700° bases with 8-40 screws

\* Featuring the Bergara Premier action

### CALIBER

6.5 Creedmoor 6.5 PRC .308 Win. .300 Win. Mag. 300 PRC

\* See page 54 for full specification



6

echnology™

TWIST

| 1:8″  |  |
|-------|--|
| 1:8″  |  |
| 1:10″ |  |
| 1:10″ |  |
| 1:9″  |  |



### HMR PRO (HUNTING & MATCH)

| WEIGHT     | 4.2 kg (9.3 lbs) - 4.4 kg (9.8 lbs)  |
|------------|--|
| LENGTHS    | 51 cm (20") - 66 cm (26") barrel   |
|            | 102 cm (39.5") - 121 cm (47.5") overall  |
| BARREL     | 19.1 mm / No. 5.5 taper 21.3 mm / No. 6 taper Threaded 5/8"-24 UNEF with thread protector                              |
| FINISH     | Tactical grey Cerakote™  |
| STOCK      | Bergara HMR molded with mini-chassis <sup>®</sup><br>featuring an adjustable cheek piece and length<br>of pull spacers |
|            | Integrated QD flush cup sling mounts and swivel<br>mounts  |
| TRIGGER    | TriggerTech <sup>®</sup> Frictionless Release Technology <sup>™</sup>  |
| MAGAZINE   | AICS style detachable:   |
|            | 5 round mag provided (3 round mag: 6.5 PRC)  |
| SCOPEMOUNT | Fits Remington 700° bases with 8-40 screws   |

\* Featuring the Bergara Premier action

\* Full-length Integrated mini-chassis for repeatable bedding and supports fully free-floated barrel

| CALIBER        | TWIST  |
|----------------|--------|
| .22-250 Rem.   | 1:9″   |
| 6mm Creedmoor  | 1:7.5″ |
| 6.5 Creedmoor  | 1:8″   |
| 6.5 PRC        | 1:8″   |
| .308 Win.      | 1:10"  |
| .300 Win. Mag. | 1:10"  |
| 300 PRC        | 1:9″   |
|                |        |

\* See page 54 for full specifications



# 8-14 WILDERNE SERIES

### **B-14 WILDERNESS SERIES**

The Wilderness Series tackles the need for rifles that can withstand the rugged and unforgiving wilderness while blending into those very same elements - hence Bergara's hand-painted camouflage stocks with added webbing for increased texture and grip. All Wilderness Series barreled actions feature Sniper Grey Cerakote™ finishes for advanced protection in extremely harsh weather. The Terrain, HMR, and Ridge models also feature a seamless, omnidirectional, and multi-ported muzzle brake that will reduce felt recoil by up to 35 percent.

The B-14 Wilderness Series provides a great deal of added value for the hunter that wants a no-nonsense performer that is built to withstand the backcountry. We are breaking through the uninhabited and inhospitable regions to bring you the weather protection needed to withstand these conditions.

We believe the word wilderness, while may be rugged, harsh and unforgiving, describes an experience rather than a location. We built the B-14 Wilderness Series to match every stride taken off the beaten trail.

### FEATURES Spring-loaded ejector Side-mounted bolt stop One-piece body with two locking lugs 90° Bolt throw angle Sliding plate extractor Hinged floor plate or detachable magazine Sniper grey Cerakote™ Made from 4140 CrMo steel • Sniper grey Cerakote™ • 1.0 MOA accuracy guaranteed while in the safe position



Cone-shaped bolt nose ejector - assures smooth feeding

All B-14 Rifles feature an adjustable Bergara Performance Trigger

The two position safety is part of the trigger assembly. It allows the rifle to be unloaded

All Wilderness Series rifles feature Bergara's hand-painted camouflage

### TERRAIN WILDERNESS SERIES

|  | WEIGHT     | 4.2 kg (9.3 lbs) - 4.6 kg (10.1 lbs)        |
|--|------------|---|
|  | LENGTHS    | 51 cm (20") - 66 cm (26") barrel            |
|  |            | 104 cm (41") - 122 cm (48") overall         |
|  | BARREL     | No. 5.5 taper                               |
|  |            | Threaded 5/8-24" with Omni Muzzle Brake     |
|  | FINISH     | Sniper grey Cerakote™                       |
|  | STOCK      | Bergara Terrain molded with mini-chassis    |
|  |            | Integrated QD flush cup sling mounts and    |
|  |            | swivel mounts                               |
|  |            | Adjustable cheek rest                       |
|  | TRIGGER    | Bergara Performance trigger                 |
|  | MAGAZINE   | AICS style detachable:                      |
|  |            | 5 round mag provided (3 round mag: 6.5 PRC) |
|  | SCOPEMOUNT | Fits Remington 700° bases with 6-48 screws  |

\* Featuring the Bergara B-14 action

| CALIBER        | TWIST |
|----------------|-------|
| 6.5 Creedmoor  | 1:8″  |
| 6.5 PRC        | 1:8″  |
| .308 Win.      | 1:10″ |
| .300 Win. Mag. | 1:10″ |
| 300 PRC        | 1:9″  |
|                |       |

\* See page 54 for full specifications



12



### HMR WILDERNESS SERIES

| WEIGHT     | 4.3 kg (9.5 lbs) - 4.5 kg (9.9 lbs)                   |
|------------|---|
| LENGTHS    | 51 cm (20") - 66 cm (26") barrel                      |
|            | 102 cm (40") - 121 cm (47.5") overall                 |
| BARREL     | 21,6 mm / No. 6 taper                                 |
|            | Threaded 5/8"-24 UNEF with Omni Mu                    |
| FINISH     | Sniper grey Cerakote™                                 |
| STOCK      | Bergara HMR molded with mini-chassis                  |
|            | Integrated QD flush cup sling mounts ar swivel mounts |
|            | Adjustable cheek piece, and length-of-p               |
| TRIGGER    | Bergara Performance trigger                           |
| MAGAZINE   | AICS style detachable:                                |
|            | 5 round mag provided (3 round mag: 6.                 |
| SCOPEMOUNT | Fits Remington 700° bases with 6-48 scre              |
|            |   |

\* Featuring the Bergara B-14 action

### CALIBER

6.5 Creedmoor 6.5 PRC .308 Win. .300 Win. Mag. 300 PRC

\* See page 54 for full specifications



Auzzle Brake

nd

pull

6.5 PRC)

crews

| - T | 1 1 1 | ICT |
|-----|-------|-----|
|     | vv    | 121 |
|     |       |     |

| 1:8″  |
|-------|
| 1:8″  |
| 1:10″ |
| 1:10″ |
| 1:9″  |



### RIDGE WILDERNESS SERIES

| WEIGHT     | 3.2 kg (7 lbs) - 3.6 kg (7.9 lbs)               |
|------------|---|
| LENGTHS    | 45.7 cm (18") - 61 cm (24") barrel              |
|            | 95 cm (37.5") - 116 cm (46") overall            |
| BARREL     | 17.8 mm / No. 5 taper                           |
|            | Threaded 5/8"-24 UNEF with Omni Muzzle Brake    |
| FINISH     | Sniper grey Cerakote™                           |
| STOCK      | American-style synthetic with soft-touch finish |
| TRIGGER    | Bergara Performance trigger                     |
| MAGAZINE   | Hinged floor plate magazine:                    |
|            | 4 round capacity in standard calibers           |
|            | 3 round capacity in magnum calibers             |
|            | 2 round capacity in PRC calibers                |
|            | Detachable magazine*:                           |
|            | 3 round capacity in standard calibers           |
|            | 2 round capacity in magnum calibers             |
| SCOPEMOUNT | Fits Remington 700° bases with 6-48 screws      |

\* Not available in PRC calibers \* Featuring the Bergara B-14 action

| CALIBER        | TWIST  |
|----------------|--------|
| 6.5 Creedmoor  | 1:8″   |
| 6.5 PRC        | 1:8″   |
| .308 Win.      | 1:10″  |
| 7mm Rem. Mag.  | 1:9.5″ |
| .300 Win. Mag. | 1:10″  |
| 300 PRC        | 1:9″   |
|                |        |

\* See page 54 for full specifications



### HUNTER WILDERNESS SERIES

| WEIGHT     | 3.2 kg (7 lbs) - 3.3 kg (7.3 lbs)  |
|------------|--|
| LENGTHS    | 56 cm (20") - 61 cm (24") barrel   |
|            | 105 cm (41.5") - 112 cm (44") overall  |
| BARREL     | 16.5 mm / No. 4 taper  |
| FINISH     | Sniper grey Cerakote™  |
| STOCK      | American-style synthetic with Soft-toue  |
| TRIGGER    | Bergara Performance trigger  |
| MAGAZINE   | Hinged floor plate magazine:   |
|            | 4 round capacity in standard calibers<br>3 round capacity in magnum calibers<br>2 round capacity in PRC calibers |
|            | Detachable magazine*:  |
|            | 3 round capacity in standard calibers<br>2 round capacity in magnum calibers                                     |
| SCOPEMOUNT | Fits Remington 700° bases with 6-48 scr  |

\* Featuring the Bergara B-14 action

### CALIBER

6.5 Creedmoor .308 Win. 7mm Rem. Mag. .300 Win. Mag.

\* See pages 54 for full specifications



14

B-14 WILDERNESS SERIES

### uch finish

5

5

rews

### TWIST

1:8″ 1:10″ 1:9.5″ 1:10″





### **B-14 EXTREME SERIES**

The Bergara Extreme Series Hunter Rifle is Bergara's newest offering, geared towards extreme conditions rifle shooting. This rifle features Bergara's B-14 action mated with a 4 tapered (16.6 mm), stainless steel Bergara barrel with Cerakote™ finish. The barrel is threaded and 18" length. This new rifle is less than 1 meter long and weighs less than 3 kg (6.6 lbs) what makes it perfect for mountain and rough conditions hunting.

The entire Extreme Series brings Bergara Barrel accuracy to a line of hunting rifles that is affordable to serious big-game hunters. Built in Spain, this rifle delivers a level of quality and performance that is unmatched in its price range.

It's outfitted with a Bergara curved adjustable trigger we designed to guarantee a crisp, clean pull every time you fire the rifle. The Extreme Series Rifles are available in .308 Win. caliber and 6.5 Creedmoor with hinged floor plate or detachable magazine and open sights are optional. All Extreme rifles are capable of producing 1.0 MOA groups or less at 100 yards using factory match grade ammunition.



- Cone-shaped bolt nose ejector assures smooth feeding
- Sniper grey Cerakote<sup>™</sup> / graphite black Cerakote<sup>™</sup> / Coyote tan Cerakote<sup>™</sup>
- All B-14 Rifles feature an adjustable Bergara Performance Trigger
- The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position

### HUNTER EXTREME SERIES

| WEIGHT     | 2.9 kg (6.6 lbs)                                    |
|------------|---|
| LENGTHS    | 45.7 cm (18") barrel                                |
|            | 95 cm (37.4") overall                               |
| BARREL     | 16.6 mm / No. 4 taper                               |
|            | Threaded M14x1 - 410 AISI stainless steel           |
| FINISH     | Stainless grey Cerakote™                            |
| STOCK      | American-style synthetic                            |
| TRIGGER    | Bergara Performance trigger                         |
| MAGAZINE   | Detachable magazine: 3 round capacity               |
| SCOPEMOUNT | Fits Remington $700^{\circ}$ bases with 6-48 screws |
|            |   |

\* Featuring the Bergara B-14 action

### CALIBER 6.5 Creedmoor .308 Win.

TWIST

1:8″

1:10"

\* See page 55 for full specifications

18



| HUNTER |  |  |
|--------|--|--|



### HUNTER VIPER URBAN Extreme Series

| WEIGHT     | 2.9 kg (6.6 lbs)                         |
|------------|--|
| LENGTHS    | 45.7 cm (18") barrel                     |
|            | 95 cm (37.4") overall                    |
| BARREL     | 16.6 mm / No. 4 taper                    |
|            | Threaded M14x1 - 410 AISI stainless stee |
| FINISH     | Graphite black Cerakote™                 |
| STOCK      | American-style synthetic                 |
| TRIGGER    | Bergara Performance trigger              |
| MAGAZINE   | Detachable magazine: 3 round capacity    |
| SCOPEMOUNT | Fits Remington 700° bases with 6-48 scro |

\* Featuring the Bergara B-14 action

### CALIBER

6.5 Creedmoor .308 Win. \* See page 55 for full specifications



el

crews

TWIST

1:8″ 1:10″



### SPORTER EXTREME SERIES

| WEIGHT     | 3.1 kg (6.9 lbs)                           |
|------------|--|
| LENGTHS    | 45.7 cm (18") barrel                       |
|            | 97 cm (38.2") overall                      |
| BARREL     | 16.6 mm / No. 4 taper                      |
|            | Threaded M14x1 - 410 AISI stainless steel  |
| FINISH     | Graphite black Cerakote™                   |
| STOCK      | Monte Carlo style synthetic                |
| TRIGGER    | Bergara Performance trigger                |
| MAGAZINE   | Detachable magazine: 3 round capacity      |
| SCOPEMOUNT | Fits Remington 700° bases with 6-48 screws |
|            |  |

Featuring the Bergara B-14 action

### CALIBER TWIST 6.5 Creedmoor .308 Win.

1:8″

1:10"

\* See page 55 for full specifications



### NEW MODEL

# SPORTER VIPER WESTERN Extreme Series

| WEIGHT     | 3.1 kg (6.9 lbs)                         |
|------------|--|
| LENGTHS    | 45.7 cm (18") barrel                     |
|            | 97 cm (38.2") overall                    |
| BARREL     | 16.6 mm / No. 4 taper                    |
|            | Threaded M14x1 - 410 AISI stainless stee |
| FINISH     | Coyote tan Cerakote™                     |
| STOCK      | Monte Carlo style synthetic              |
| TRIGGER    | Bergara Performance trigger              |
| MAGAZINE   | Detachable magazine: 3 round capacity    |
| SCOPEMOUNT | Fits Remington 700° bases with 6-48 scr  |

\* Featuring the Bergara B-14 action

### CALIBER

6.5 Creedmoor .308 Win. \* See page 55 for full specifications



20


eel

crews

TWIST

1:8″ 1:10"





### **B-14 SERIES**

Our B-14 Series brings Bergara quality and accuracy to a line of rifles that is affordable to almost any serious big game hunter or shooter. Built in Spain at our state-of-the-art production facility, our highly-efficient manufacturing and assembly techniques allow us to deliver a rifle with a level of quality and performance that is unmatched for the price.

B-14 Series rifles feature the world-famous Bergara barrel, which is complemented by our own super-smooth B-14 Action. This action features a coned-bolt nose and breech, ensuring smooth feeding and a sliding plate extractor for proper alignment. The Bergara 4140 CrMo steel mated blued barrel is finished in Black Graphite Cerakote™. Lengths and contours vary by model. Stocks are designed in various styles to ensure proper fit for every shooter.

### **B-14**<sup>2</sup>

The new B-14<sup>2</sup> concept stands for adding a proprietary development of a carbon fiber monocoque stock. Developed 100% in carbon fiber, this stock has an internal structure that provides greater rigidity, strength and prevents the stock from breaking.

Featuring this new stock to our B-14 action and our well-known barrels, we blend all the advantages of the model series, converging into something unique, which we have called B14 squared.



NEW CERAKOTE FINISH

Cone-shaped bolt nose ejector assures smooth feeding

All B-14 Rifles feature an adjustable Bergara Performance Trigger

The two position safety is part of the trigger assembly. It allows the rifle to be unloaded



### B14<sup>2</sup> CREST

| WEIGHT       | 3.1 Kg (6.9 lbs) - 3.3 Kg (7.3 lbs)  |
|--------------|--|
| LENGTHS      | 51 cm (20") - 61 cm (24") barrel<br>105 cm (41.1") - 115 cm (45.3") overall  |
| BARREL       | 17.8 mm / No. 5 taper<br>Threaded 5/8"-24 UNEF with Omni Muzzle<br>Brake   |
| FINISH       | Sniper Grey Cerakote™  |
| <b>STOCK</b> | Monte Carlo style with a monocoque carbon<br>fiber structure with adjustable length-of-pull<br>QD flush cup sling mounts and swivel mounts |
| TRIGGER      | Bergara Performance trigger  |
| MAGAZINE     | AICS style detachable 3 round mag provided   |
| SCOPE MOUNT  | Fits Remington 700° bases with 6-48 screws   |

\* Featuring the Bergara B-14 action with fluted bolt.

| CALIBER       | TWIST |
|---------------|-------|
| 6.5 Creedmoor | 1:8″  |
| .308 Win.     | 1:10″ |

\* See page 56 for full specifications



24



### NOW WITH CERAKOTE FINISH

## BMP (Bergara Match Precision)

|  | WEIGHT     | 4.9 kg (10.8 lbs) - 6 kg (13.2 lbs)                                       |
|--|------------|---|
|  | LENGTHS    | 51 cm (20") - 71 cm (28") barrel  |
|  |            | 100 cm (39.5") - 100 cm (47") overall                                     |
|  | BARREL     | 21.6 mm / No. 6 taper - 25 mm (0.98") Thre<br>M18x1 with thread protector |
|  | FINISH     | Graphite Black Cerakote™  |
|  | STOCK      | Bergara BMP chassis integrated  |
|  |            | QD flush cup sling mounts and swivel me                                   |
|  |            | Adjustable cheek piece and length of pu                                   |
|  | TRIGGER    | Bergara Performance trigger   |
|  | MAGAZINE   | AICS style detachable 5 round mag provi                                   |
|  | SCOPEMOUNT | Fits Remington 700° bases with 6-48 scre                                  |

\* Featuring the Bergara B-14 action

### CALIBER

6.5 Creedmoor .308 Win. .308 Win. SuperVarmint

\* See page 55 for full specifications



readed

nounts

ull

vided

rews

### TWIST

1:8″ 1:10" 1:11″





# HMR (Hunting & Match Rifle)

| WEIGHT     | 4.1 kg (9 lbs) - 4.5 kg (9.9 lbs)  |
|------------|--|
| LENGTHS    | 51 cm (20") - 66 cm (26") barrel   |
|            | 115 cm (45.3") - 120 cm (47,2") overall  |
| BARREL     | 19.1 mm / Nº 5.5 - 21.6 mm / No. 6 taper<br>Threaded M15x1 or M18x1 with thread protector  |
| FINISH     | Graphite Black Cerakote™   |
| STOCK      | Bergara HMR molded with mini-chassis integrated<br>QD flush cup sling mounts and swivel mounts<br>Adjustable cheek piece, and length-of-pull |
| TRIGGER    | Bergara Performance trigger  |
| MAGAZINE   | AICS style detachable 5 round mag provided   |
| SCOPEMOUNT | Fits Remington 700° bases with 6-48 screws   |

\* Featuring the Bergara B-14 action

| CALIBER        | TWIST |
|----------------|-------|
| .22-250        | 1:9″  |
| 6.5 Creedmoor  | 1:8″  |
| .308 Win.      | 1:10″ |
| .300 Win. Mag. | 1:10″ |
|                |       |

\* See page 55 for full specifications







## HMR GREEN (HUNTING & MATCH RIFLE)

|  | WEIGHT     | 4.1 kg (9 lbs) - 4.5 kg (9.9 lbs)   |
|--|------------|---|
|  | LENGTHS    | 51 cm (20") - 66 cm (26") barrel  |
|  |            | 115 cm (45.3") - 120 cm (47,2") overall   |
|  | BARREL     | 19.1 mm / Nº 5.5 - 21.6 mm / No. 6 taper<br>Threaded M15x1 or M18x1 with thread   |
|  | FINISH     | Graphite Black Cerakote™  |
|  | STOCK      | Bergara HMR molded with mini-chassis<br>QD flush cup sling mounts and swivel me<br>Adjustable cheek piece, and length-of-pu |
|  | TRIGGER    | Bergara Performance trigger   |
|  | MAGAZINE   | AICS style detachable 5 round mag provi   |
|  | SCOPEMOUNT | Fits Remington 700° bases with 6-48 scre  |

\* Featuring the Bergara B-14 action

### CALIBER

6.5 Creedmoor .308 Win. .300 Win. Mag

\* See page 55 for full specifications



26

ad protector

s integrated nounts oull

vided

rews

### TWIST

1:8″ 1:10" 1:10"





| WEIGHT     | 3.3 kg (7.3 lbs) - 3.4 kg (7.5 lbs)   |
|------------|---|
| LENGTHS    | 56 cm (22") - 61 cm (24") barrel  |
|            | 107 cm (42") - 115 cm (45.5") overall   |
| BARREL     | 16.5 mm / No. 4 taper - 19.1 mm / No 5.5 taper<br>Threaded M14x1 or M15x1 with thread protector |
| FINISH     | Graphite Black Cerakote™  |
| STOCK      | Monte Carlo style synthetic   |
| TRIGGER    | Bergara Performance trigger   |
| MAGAZINE   | Hinged floor plate magazine:  |
|            | 4 round capacity in standard calibers   |
|            | 3 round capacity in magnum calibers   |
|            | Detachable magazine:  |
|            | 3 round capacity in standard calibers   |
|            | 2 round capacity in magnum calibers   |
| SCOPEMOUNT | Fits Remington 700° bases with 6-48 screws  |

NOW WITH CERAKOTE FINISH

SPORTER

\* Featuring the Bergara B-14 action

| CALIBER        | TWIST   |
|----------------|---------|
| .243 Win.      | 1:10"   |
| 6.5 Creedmoor  | 1:8"    |
| .308 Win.      | 1:12"   |
| 6.5x55 SE      | 1:8.66" |
| .270 Win.      | 1:10"   |
| .30-06 Spring. | 1:10"   |
| 8x57 JS        | 1:10"   |
| 7 mm Rem. Mag. | 1:9.5"  |
| .300 Win. Mag. | 1:10"   |
| .338 Win. Mag. | 1:10"   |
|                |         |

\* See pages 55-56 for full specifications



28

TWIST1:10"1:8"1:12"1:8.66"1:10"1:10"1:10"1:10"1:10"1:10"stations

### NEW MODEL

### SPORTER GREEN

| WEIGHT     | 3.3 kg (7.3 lbs) - 3.4 kg (7.5 lbs)  |
|------------|--|
| ENGTHS     | 56 cm (22") - 61 cm (24") barrel   |
|            | 107 cm (42") - 115 cm (45.5") overall  |
| BARREL     | 16.5 mm / No. 4 taper - 19.1 mm / N<br>Threaded M14x1 or M15x1 with thread   |
| INISH      | Graphite Black Cerakote™   |
| бтоск      | Monte Carlo style synthetic  |
| FRIGGER    | Bergara Performance trigger  |
| MAGAZINE   | Hinged floor plate magazine:   |
|            | 4 round capacity in standard caliber:<br>3 round capacity in magnum caliber  |
|            | Detachable magazine:   |
|            | 3 round capacity in standard calibers<br>2 round capacity in magnum calibers |
| SCOPEMOUNT | Fits Remington 700° bases with 6-48 scr                                      |
|            |  |

\* Featuring the Bergara B-14 action

### CALIBER

6.5 Creedmoor.308 Win..30-06 Spring..338 Win. Mag.

\* See pages 55-56 for full specifications



B-14 SERIES

SPORTER

No 5.5 taper ad protector

s

rs

crews

TWIST

| 1 | :8   |
|---|------|
| 1 | :12" |
| 1 | :10" |
| 1 | :10" |



### NOW WITH CERAKOTE FINISH

### TIMBER

| WEIGHT     | 3.4 kg (7.5 lbs) - 3.7 kg (8.1 lbs)   |
|------------|---|
| LENGTHS    | 56 cm (22") - 61 cm (24") barrel  |
|            | 107 cm (42″) - 115 cm (45.5″) overall   |
| BARREL     | 16.5 mm / No. 4 taper - 21.3 mm / No 6 taper<br>Threaded M14x1, M15x1 or M18x1 with thread<br>protector |
| FINISH     | Graphite Black Cerakote™  |
| STOCK      | Monte Carlo style walnut  |
| TRIGGER    | Bergara Performance trigger   |
| MAGAZINE   | Hinged floor plate magazine:  |
|            | 4 round capacity in standard calibers   |
|            | 3 round capacity in magnum calibers   |
|            | Detachable magazine:  |
|            | 3 round capacity in standard calibers   |
|            | 2 round capacity in magnum calibers   |
| SCOPEMOUNT | Fits Remington 700° bases with 6-48 screws  |
|            |   |

\* Featuring the Bergara B-14 action

| CALIBER        | TWIST   |
|----------------|---------|
| 6.5 Creedmoor  | 1:8"    |
| .308 Win.      | 1:12"   |
| 6.5x55 SE      | 1:8.66" |
| .30-06 Spring. | 1:10"   |
| 8x57 JS        | 1:10"   |
| 7 mm Rem. Mag. | 1:9.5"  |
| .300 Win. Mag. | 1:10"   |
| .338 Win. Mag. | 1:10"   |
| .375 H&H Mag.  | 1:12"   |
|                |         |

\* See page 56 for full specifications



Left handed Timber model available in calibers: 6.5 Creedmoor / 7 mm Rem. Mag. / .308 Win. .300 Win. Mag. and .338 Win. Mag.



### NOW WITH CERAKOTE FINISH

### HUNTER

| WEIGHT     | 3.2 kg (7.1 lbs) - 3.4 kg (7.5 lbs)  |
|------------|--|
| LENGTHS    | 56 cm (22") - 61 cm (24") barrel   |
|            | 105 cm (41.5") - 112 cm (44") overall  |
| BARREL     | 16.5 mm / No. 4 taper - 19.1 mm / No<br>Threaded M14x1 or M15x1 with thread  |
| FINISH     | Graphite Black Cerakote™   |
| STOCK      | American-style synthetic with soft-touch                                     |
| TRIGGER    | Bergara Performance trigger  |
| MAGAZINE   | Hinged floor plate magazine:   |
|            | 4 round capacity in standard calibers<br>3 round capacity in magnum calibers |
|            | Detachable magazine:   |
|            | 3 round capacity in standard calibers<br>2 round capacity in magnum calibers |
| SCOPEMOUNT | Fits Remington 700° bases with 6-48 scre                                     |
|            |  |

\* Featuring the Bergara B-14 action

### CALIBER

.243 Win. 6.5 Creedmoor .308 Win. .270 Win. .30-06 Spring. 7 mm Rem. Mag. .300 Win. Mag. \* See page 57 for full specifications



30

No. 5.5 taper ead protector

ıch finish

ers ers

rs

crews

| 1 | WIST |  |
|---|------|--|
| 1 | :10" |  |

| 1:8"   |  |
|--------|--|
| 1:12"  |  |
| 1:10"  |  |
| 1:10"  |  |
| 1:9.5" |  |

1:10"





### **RIMFIRE SERIES**

The Rimfire Series is the natural evolution of Bergara continuing its journey forward. Due to the fact that we have been making highly accurate rimfire barrels on an OEM basis for over a decade, we are confident that we can deliver exceptional performance and relevant features that make your rimfire shooting experience more successful.

With our advanced expertise in engineering, we combined three distinct platforms that serve completely different needs such as plinking and hunting as well as serious competition shooting.

The Bergara BMR (Bergara Micro Rimfire) is for those that demand the best and expect nothing short of perfection. With the option of either a 5rd magazine for hunting or a 10rd magazine for running stages at your favorite rimfire match, we designed the BMR from the ground up with field and match performance in mind.

The semi-automatic BXR series is ideal for plinking and hunting. The series bridges the gap between mass produced models and boutique brands. The BXR series is compatible with certain Ruger<sup>®</sup> 10/22<sup>®</sup> components and is available in either chromoly steel or carbon fiber tensioned steel.

The B-14R is specifically designed for long range rimfire shooting, training, and competing. It features a full-size 700 footprint and accepts many after-market components including stocks, triggers, and mounts. The push-feed action sports dual extractors and a full-size detachable magazine.

### FEATURES Specialty Rimfire actions Match grade chambers (B-14R and BMR bolt actions) Detachable magazines Left-handed available on B-14R Made from 4140 steel Matte blued finish Carbon barrel options available Bergara Performance Trigger (B-14R and BMR) Bergara BXR trigger (BXR) QD Cups and swivels (BMR swivel only)

Bergara HMR stock, adjustable cheek, free-floated (B-14R)



### B-14R TRAINER - CARBON

| WEIGHT     | 3.7 kg - 3.8 kg (8.1 - 8.4 lbs)   |
|------------|---|
| LENGTHS    | 46 cm (18") - 51 cm (20") barrel  |
|            | 96 cm (38") - 101 cm (39.7") overall  |
| BARREL     | 21.3 mm / No. 6   |
|            | Threaded 1/2-28" with thread protector  |
|            | Carbon fiber Bergara barrel   |
| FINISH     | Matte blued   |
| STOCK      | Bergara HMR stock   |
|            | Integrated QD flush cup sling mounts and swivel mounts  |
|            | Adjustable cheek piece and length-of-pull   |
|            | Full-length integrated mini-chassis for repeatable bedding and supports fully free-floated barrel |
| TRIGGER    | Bergara Performance trigger   |
| MAGAZINE   | AICS style  |
|            | 10 round magazine included  |
| SCOPEMOUNT | Fits Remington 700° bases with 6-48 screws  |

\* Featuring the Bergara B-14 action

| CALIBER | TWIST |
|---------|-------|
| .22LR   | 1:16″ |
| .22 WMR | 1:16″ |
| .17 HMR | 1:9″  |
|         |       |

\* See page 57 for full specifications





### B-14R TRAINER - STEEL

| WEIGHT     | 4.1 kg - 4.2 kg (9 - 9.2 lbs)   |
|------------|---|
| LENGTHS    | 46 cm (18") - 51 cm (20") barrel  |
|            | 96 cm (38") - 101 cm (39.7") overall  |
| BARREL     | 21.3 mm / No. 6   |
|            | Threaded 1/2-28" with thread protector  |
| FINISH     | Matte blued   |
| STOCK      | Bergara HMR stock   |
|            | Integrated QD flush cup sling mounts ar mounts                                  |
|            | Adjustable cheek piece and length-of-p  |
|            | Full-length integrated mini-chassis for bedding and supports fully free-floated |
| TRIGGER    | Bergara Performance trigger   |
| MAGAZINE   | AICS style  |
|            | 10 round magazine included  |
| SCOPEMOUNT | Fits Remington 700° bases with 6-48 scre  |
|            |   |

\* Featuring the Bergara B-14 action

| CALIBER                               |
|---------------------------------------|
| .22LR                                 |
| .22 WMR                               |
| .17 HMR                               |
| * See page 57 for full specifications |



Barreled actions and left-handed models are available



34

and swivel

pull repeatable l barrel

crews

### TWIST

1:16″ 1:16″ 1:9″





### BMR CARBON

| WEIGHT     | 2.3 Kg (5 lbs) - 2.4 kg (5.4 lbs)            |
|------------|--|
| LENGTHS    | 46 cm (18") - 51cm (20") barrel              |
|            | 92 cm (36″) - 97 cm ( 38″) overall           |
| BARREL     | 21.3 mm / No. 6 taper                        |
|            | Carbon fiber                                 |
|            | Threaded 1/2-28" with thread protector       |
| FINISH     | Matte blued                                  |
| STOCK      | BMR stock                                    |
|            | Swivel mounts                                |
| TRIGGER    | Bergara Performance trigger                  |
|            | Remington 700° compatible                    |
| MAGAZINE   | Detachable 5 and 10 round magazines included |
| SCOPEMOUNT | 30MOA integral Picatinny rail                |

| CALIBER | TWIST |
|---------|-------|
| .22LR   | 1:16″ |
| .22 WMR | 1:16″ |
| .17 HMR | 1:9″  |

\* See page 57 for full specifications



### BMR STEEL

|  | WEIGHT     | 2.5 Kg (5.5 lbs) - 2.6 kg (5.8 lbs)    |
|--|------------|--|
|  | LENGTHS    | 46 cm (18") - 51cm (20") barrel        |
|  |            | 92 cm (36") - 97 cm ( 38") overall     |
|  | BARREL     | 21,3 mm / No. 6 taper                  |
|  |            | 4140 Steel                             |
|  |            | Threaded 1/2-28" with thread protector |
|  | FINISH     | Matte blued                            |
|  | STOCK      | BMR stock                              |
|  |            | Swivel mounts                          |
|  | TRIGGER    | Bergara Performance trigger            |
|  |            | Remington 700° compatible              |
|  | MAGAZINE   | Detachable 5 and 10 round magazines    |
|  | SCOPEMOUNT | 30MOA integral Picatinny rail          |
|  |            |  |

| CALIBER |  |
|---------|--|
| .22LR   |  |
| .22 WMR |  |
| .17 HMR |  |

\* See page 57 for full specifications



es included

TWIST

1:16″ 1:16″ 1:9″






### BXR CARBON

|  | WEIGHT     | 2.1 Kg (4.7 lbs)                                       |
|--|------------|--|
|  | LENGTHS    | 42.5 cm (16.5") barrel                                 |
|  |            | 87.6 cm (34.5") with spacers                           |
|  | BARREL     | 21.3 mm / No. 6 taper                                  |
|  |            | Carbon fiber   |
|  |            | Threaded 1/2-28" with thread protector                 |
|  | FINISH     | Graphite black Cerakote™                               |
|  | STOCK      | Bergara synthetic tactical with LOP spacers            |
|  |            | Integrated QD flush cup sling mounts and swivel mounts |
|  | TRIGGER    | Bergara BXR trigger                                    |
|  |            | Trigger pull: 3.5 lbs (approximate)                    |
|  | MAGAZINE   | Detachable 10 round rotary magazine included           |
|  | SCOPEMOUNT | 30MOA integral Picatinny rail                          |
|  |            |  |

| CALIBER | TWIST |
|---------|-------|
| .22LR   | 1:16″ |

\* See page 57 for full specifications





### BXR STEEL

| WEIGHT     | 2.3 Kg (5.2 lbs)                                      |
|------------|---|
| LENGTHS    | 42.5 cm (16.5") barrel                                |
|            | 87.6 cm (34.5") with spacers                          |
| BARREL     | 21.3 mm / No. 6 taper                                 |
|            | Chromoly  |
|            | Threaded 1/2-28" with thread protector                |
| FINISH     | Matte blued   |
| STOCK      | Bergara synthetic tactical with LOP space             |
|            | Integrated QD flush cup sling mounts an swivel mounts |
| TRIGGER    | Bergara BXR trigger                                   |
|            | Trigger pull: 3.5 lbs (approximate)                   |
| MAGAZINE   | Detachable 10 round rotary magazine ir                |
| SCOPEMOUNT | 30MOA integral Picatinny rail                         |

### CALIBER

.22LR \* See page 57 for full specifications




38

icers and

included

TWIST 1:16″





### BA13 TD SERIES

For the hunter who wants a high-quality single shot rifle, the BA-13 TAKE DOWN is the ideal choice. Its sleek, lightweight, and easy-to operate design sets a new standard for affordable single shot hunting rifles. Every stock is lightweight and features Bergara's CrushZone® Recoil pad – a real plus for heavier calibers. Every BA-13 TD model is perfectly balanced in a 100% ambidextrous, composite stock making the gun incredibly quick to aim and shoot. Each rifle includes a DuraSight\* scope rail, which will accept most any standard scope rings found on the market today.

The quick-take-down, tools-free disassembly, makes it easy to carry and also a great stowaway gun for the camp, boat, or truck.

Our BA13 TAKE DOWN range is a popular choice for mountain hunting. Its excellent maneuverability, its lightness and the precision of the BERGARA barrels make the BA13 TD single shoot rifle an optimal performance for a stalking rifle.



Compact Synthetic design or Thumbhole stock in black color Other colors are available. Check www.Bergara.Online for more details




### THUMBHOLE

| WEIGHT      | 3 kg (6.6 lbs) – 3.2 kg (7.1 lbs)                          |
|-------------|--|
| LENGTHS     | 42 cm (16.5") – 51 cm (20") barrel                         |
|             | 80 cm (31.5") – 89 cm (35") overall                        |
| BARREL      | 17.8 mm / No. 5 taper                                      |
|             | Threaded 5/8"-24 UNEF                                      |
| FINISH      | Matte blued or stainless steel                             |
| STOCK       | Synthetic black  |
| TRIGGER     | Trigger guard actuated breech system 1.8 kg trigger weight |
| OPEN SIGHTS | Open sights are not available in this model                |
| SCOPEMOUNT  | DuraSight <sup>®</sup> weaver-style rail                   |

| CALIBER        | TWIST  |
|----------------|--------|
| .222 Rem.      | 1:14"  |
| .243 Win.      | 1:10"  |
| .300 BLACKOUT  | 1:8"   |
| .308 Win.      | 1:12"  |
| .30-06 Spring. | 1:10"  |
| .45-70 Govt.   | 1:20"  |
| 8x57 JRS       | 1:9.5" |

\* See page 58 for full specifications



### STANDARD

| WEIGHT      | 3 kg (6.6 lbs) – 3.2 kg (7.1 lbs)                   |
|-------------|---|
| LENGTHS     | 42 cm (16.5") – 51 cm (20") barrel                  |
|             | 80 cm (31.5") – 89 cm (35") overall                 |
| BARREL      | 17.8 mm / No. 5 taper                               |
|             | Threaded 5/8"-24 UNEF                               |
| FINISH      | Matte blued or stainless steel                      |
| STOCK       | Synthetic black                                     |
| TRIGGER     | Trigger guard actuated breech system trigger weight |
| OPEN SIGHTS | Open sights are an option                           |
| SCOPEMOUNT  | DuraSight <sup>®</sup> weaver-style rail            |

### CALIBER

.222 Rem. .243 Win. .300 BLACKOUT .308 Win. .30-06 Spring. .45-70 Govt. 8x57 JRS \* See page 58 for full specifications



42

n 1.8 kg

TWIST

| 1:14"  |
|--------|
| 1:10"  |
| 1:8"   |
| 1:12"  |
| 1:10"  |
| 1:20"  |
| 1:9.5" |



### NEW MODEL

### THUMBHOLE CAMO STRATA

| WEIGHT      | 3.2 kg  |
|-------------|---|
| LENGTHS     | 51 (20") barrel<br>89 (35") overall                           |
| BARREL      | 17.8 mm / No. 5 taper<br>Threaded 5/8"-24 UNEF                |
| FINISH      | Matte blued with Elite Moss Cerakote™                         |
| STOCK       | Synthetic Camo Satrata  |
| TRIGGER     | Trigger guard actuated breech system 1.8 kg<br>trigger weight |
| OPEN SIGHTS | Open sights are not available in this model                   |
| SCOPEMOUNT  | Bergara® weaver-style rail                                    |

CALIBER

.223 Rem.

.308 Win.

6.5 Creedmoor

\* See page 58 for full specifications

| l      |
|--------|
|        |
| e      |
|        |
|        |
|        |
| X      |
|        |
| N Nais |
| ALL A  |

### NEW MODEL

### STANDARD CAMO STRATA

| WEIGHT      | 3.2 kg   |
|-------------|--|
| LENGTHS     | 51 (20″) barrel<br>89 (35″) overall                    |
| BARREL      | 17.8 mm / No. 5 taper<br>Threaded 5/8″-24 UNEF         |
| FINISH      | Matte blued with Elite Moss Cerakote™                  |
| STOCK       | Synthetic Camo Strata                                  |
| TRIGGER     | Trigger guard actuated breech system<br>trigger weight |
| OPEN SIGHTS | Open sights are not available in this mo               |
| SCOPEMOUNT  | Bergara <sup>®</sup> weaver-style rail                 |

### CALIBER

.223 Rem. 6.5 Creedmoor .308 Win.

\* See page 58 for full specifications



44

TWIST

1:8"

1:8"

1:12"



n 1.8 kg

odel

### TWIST

1:8" 1:8" 1:12"







TWIST

1:8"

1:8"

1:12"



### STANDARD GREEN

| WEIGHT      | 3.2 kg  |
|-------------|---|
| LENGTHS     | 51 (20") barrel   |
|             | 89 (35") overall  |
| BARREL      | 17.8 mm / No. 5 taper   |
|             | Threaded 5/8"-24 UNEF   |
| FINISH      | Matte blued   |
| STOCK       | Synthetic Green   |
| TRIGGER     | Trigger guard actuated breech system 1.8 kg<br>trigger weight |
| OPEN SIGHTS | Open sights are not available in this model                   |
| SCOPEMOUNT  | Bergara <sup>®</sup> weaver-style rail                        |

### CALIBER

.223 Rem. 6.5 Creedmoor .308 Win.

\* See page 58 for full specifications



3.2 kg 51 (20") barrel 89 (35") overall

17.8 mm / No. 5 taper Threaded 5/8"-24 UNEF

Matte blued

Synthetic Green

trigger weight

CALIBER

.223 Rem.

.308 Win.

6.5 Creedmoor

\* See page 58 for full specifications

Trigger guard actuated breech system 1.8 kg

m 1.8 kg

TWIST

1:8" 1:8" 1:12"



# BERGARA ACCESORIES



### BERGARA ACCESSORIES





OMNI MUZZLE BRAKE

B-14R MAGAZINE



BERGARA 0 MOA, 20 MOA, 30 MOA RAIL







DAYPACK BACKPACK

TACTICAL BACKPACK

TRAVEL BACKPACK



ST1 MUZZLE BRAKE (SELF TIMING)



BERGARA AICS COMPATIBLE



TACTICAL BOLT KNOB FOR B-14 SERIES



**BINO HARNESS** 



BERGARA CASE






BERGARA SOFT RIFLE GUNCASE



### **BERGARA ACCESSORIES**

### BERGARA ACCESSORIES







SWIVELS

SLINGS





STOCKER











### SPECIFICATIONS

|  | PREMIER SERIES RIFLES |          |              |                    |               |                      |           |                |                  |  |
|--|-----------------------|----------|--------------|--------------------|---------------|----------------------|-----------|----------------|------------------|--|
| ITEM #                                     | CALIBER               | TWIST    | BARRELLENGTH | MUZZLE<br>DIAMETER | BARREL THREAD | MAGAZINE<br>CAPACITY | FINISH    | OVERALLLENGTH  | OVERALL WEIGHT   |  |
| PREMIER HIGHL                              | ANDER - FLOORPL       | ATE MAGA | ZINE         |                    |               |                      | ·         |                |                  |  |
| BP315F-65                                  | 6.5 Creedmoor         | 1:8"     | 61 cm (24")  | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 4+1                  | CERAKOTE™ | 108 cm (42.5") | 3.4 kg (7.5 lbs) |  |
| BP313F-308                                 | .308 Win.             | 1:10"    | 51 cm (20")  | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 4+1                  | CERAKOTE™ | 98 cm (38.5″)  | 3.3 kg (7.2 lbs) |  |
| BP315F-7RM                                 | 7 mm Rem. Mag.        | 1:9.5"   | 61 cm (24")  | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 3+1                  | CERAKOTE™ | 109 cm (42.9") | 3.4 kg (7.5 lbs) |  |
| BP315F-300                                 | .300 Win. Mag.        | 1:10"    | 61 cm (24")  | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 3+1                  | CERAKOTE™ | 109 cm (42.9") | 3.5 kg (7.7 lbs) |  |
| PREMIER MOUNTAIN 2.0 - FLOORPLATE MAGAZINE |                       |          |              |                    |               |                      |           |                |                  |  |
| BP224F-65                                  | 6.5 Creedmoor         | 1:8"     | 56 cm (22")  | 15 mm (No. 3)      | -             | 4+1                  | CERAKOTE™ | 105 cm (41.3") | 2.8 kg (6.1 lbs) |  |
| BP224F-308                                 | .308 Win.             | 1:10"    | 56 cm (22")  | 15 mm (No. 3)      | -             | 4+1                  | CERAKOTE™ | 105 cm (41.3") | 2.8 kg (6.1 lbs) |  |
| BP225F-300                                 | .300 Win. Mag.        | 1:10"    | 61 cm (24")  | 15 mm (No. 3)      | -             | 3+1                  | CERAKOTE™ | 112 cm (44.1") | 2.9 kg (6.4 lbs) |  |
| BP225F-65PRC                               | 6.5 PRC               | 1:8"     | 61 cm (24")  | 15 mm (No. 3)      | -             | 2+1                  | CERAKOTE™ | 110 cm (43.3") | 2.8 kg (6.1 lbs) |  |
| BP225F-300PRC                              | .300 PRC              | 1:9"     | 61 cm (24")  | 15 mm (No. 3)      | -             | 2+1                  | CERAKOTE™ | 112 cm (44.1") | 2.9 kg (6.4 lbs) |  |
| PREMIER HMR P                              | RO - DETACHABLE I     | MAGAZINE |              |                    |               |                      |           |                |                  |  |
| BP235-65                                   | 6.5 Creedmoor         | 1:8"     | 61 cm (24")  | 19 mm (No. 5.5)    | 5/8-24 UNEF   | 5+1                  | Cerakote™ | 112 cm (44.1") | 4.3 kg (9.5 lbs) |  |
| BP235-65HB                                 | 6.5 Creedmoor         | 1:8"     | 61 cm (24")  | 21.2 mm (No. 6)    | 5/8-24 UNEF   | 5+1                  | CERAKOTE™ | 112 cm (44.1") | 4.4 kg (9.7 lbs) |  |
| BP233-308                                  | .308 Win.             | 1:10"    | 51 cm (20")  | 19 mm (No. 5.5)    | 5/8-24 UNEF   | 5+1                  | CERAKOTE™ | 102 cm (40.1") | 4.2 kg (9.2 lbs) |  |
| BP236-300                                  | .300 Win. Mag.        | 1:10"    | 66 cm (26")  | 19 mm (No. 5.5)    | 5/8-24 UNEF   | 5+1                  | CERAKOTE™ | 121 cm (47.6″) | 4.4 kg (9.7 lbs) |  |
| BP235-22250                                | .22-250 Rem.          | 1:9"     | 61 cm (24")  | 19 mm (No. 5.5)    | 5/8-24 UNEF   | 5+1                  | CERAKOTE™ | 112 cm (44.1") | 4.3 kg (9.5 lbs) |  |
| BP236-6C                                   | 6mm Creedmoor         | 1:7.5"   | 66 cm (26")  | 19 mm (No. 5.5)    | 5/8-24 UNEF   | 5+1                  | CERAKOTE™ | 116 cm (45.7″) | 4.3 kg (9.5 lbs) |  |
| BP236-65PRC                                | 6.5 PRC               | 1:8"     | 66 cm (26")  | 19 mm (No. 5.5)    | 5/8-24 UNEF   | 5+1                  | CERAKOTE™ | 116 cm (45.7") | 4.3 kg (9.5 lbs) |  |
| BP236-300PRC                               | .300 PRC              | 1:9"     | 66 cm (26")  | 19 mm (No. 5.5)    | 5/8-24 UNEF   | 5+1                  | CERAKOTE™ | 121 cm (47.6") | 4.4 kg (9.7 lbs) |  |

|                |                   |          |                  | WILDERNES          | SS SERIES RIF | LES                  |           |                |                   |
|----------------|-------------------|----------|------------------|--------------------|---------------|----------------------|-----------|----------------|-------------------|
| ITEM #         | CALIBER           | TWIST    | BARREL<br>LENGTH | MUZZLE<br>DIAMETER | BARREL THREAD | MAGAZINE<br>CAPACITY | FINISH    | OVERALLLENGTH  | OVERALL WEIGHT    |
| WILDERNESS TE  | RRAIN - DETACHAB  | LE MAGAZ | ZINE             |                    |               |                      |           |                |                   |
| BW145-65       | 6.5 Creedmoor     | 1:8"     | 61 cm (24")      | 19.1 mm (No. 5.5)  | 5/8-24 UNEF   | 5+1                  | CERAKOTE™ | 114 cm (44.8") | 4.2 kg (9.2 lbs)  |
| BW143-308      | .308 Win.         | 1:10"    | 51 cm (20")      | 19.1 mm (No. 5.5)  | 5/8-24 UNEF   | 5+1                  | CERAKOTE™ | 104 cm (40,9") | 4 kg (8.8 lbs)    |
| BW146-300      | .300 Win. Mag.    | 1:10"    | 66 cm (26")      | 19.1 mm (No. 5.5)  | 5/8-24 UNEF   | 5+1                  | CERAKOTE™ | 122 cm (48″)   | 4.6 kg (10.1 lbs) |
| BW146-300PRC   | .300 PRC          | 1:9"     | 66 cm (26")      | 19.1 mm (No. 5.5)  | 5/8-24 UNEF   | 5+1                  | CERAKOTE™ | 122 cm (48″)   | 4.6 kg (10.1 lbs) |
| BW145-65PRC    | 6.5 PRC           | 1:8"     | 61 cm (24")      | 19.1 mm (No. 5.5)  | 5/8-24 UNEF   | 5+1                  | CERAKOTE™ | 114 cm (44.8") | 4.2 kg (9.2 lbs)  |
| WILDERNESS HM  | MR - DETACHABLE N | AGAZINE  |                  |                    |               |                      |           |                |                   |
| BW135-65       | 6.5 Creedmoor     | 1:8"     | 61 cm (24")      | 21.6 mm (No.6)     | 5/8-24 UNEF   | 5+1                  | CERAKOTE™ | 112 cm (44.1") | 4.4 kg (9.7 lbs)  |
| BW133-308      | .308 Win.         | 1:10"    | 51 cm (20")      | 21.6 mm (No.6)     | 5/8-24 UNEF   | 5+1                  | CERAKOTE™ | 102 cm (40.1") | 4.3 kg (9.5 lbs)  |
| BW136-300      | .300 Win. Mag.    | 1:10"    | 66 cm (26")      | 21.6 mm (No.6)     | 5/8-24 UNEF   | 5+1                  | CERAKOTE™ | 121 cm (47.6") | 4.5 kg (9.9 lbs)  |
| BW136-300PRC   | .300 PRC          | 1:9"     | 66 cm (26")      | 21.6 mm (No.6)     | 5/8-24 UNEF   | 5+1                  | CERAKOTE™ | 121 cm (47.6") | 4.5 kg (9.9 lbs)  |
| BW136-65PRC    | 6.5 PRC           | 1:8"     | 61 cm (24")      | 21.6 mm (No.6)     | 5/8-24 UNEF   | 5+1                  | CERAKOTE™ | 112 cm (44.1") | 4.4 kg (9.7 lbs)  |
| WILDERNESS RII | DGE - DETACHABLE  | MAGAZIN  | E                |                    |               | 1                    |           |                |                   |
| BW124-65       | 6.5 Creedmoor     | 1:8"     | 56 cm (22")      | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 3+1                  | CERAKOTE™ | 105 cm (41.3") | 3.4 kg (7.5 lbs)  |
| BW123-308      | .308 Win.         | 1:10"    | 51 cm (20")      | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 3+1                  | CERAKOTE™ | 105 cm (41.3") | 3.3 kg (7.2 lbs)  |
| BW125-7RM      | 7mm Rem. Mag.     | 1:9.5"   | 61 cm (24")      | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 2+1                  | CERAKOTE™ | 112 cm (44.1") | 3.5 kg (7.7 lbs)  |
| BW125 -300     | .300 Win. Mag.    | 1:10"    | 61 cm (24")      | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 2+1                  | CERAKOTE™ | 112 cm (44.1") | 3.5 kg (7.7 lbs)  |
| WILDERNESS RII | DGE - FLOORPLATE  | MAGAZINE |                  |                    | 1             | ,                    |           | 1              | 1                 |
| BW124F-65      | 6.5 Creedmoor     | 1:8"     | 56 cm (22")      | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 4+1                  | CERAKOTE™ | 105 cm (41.3") | 3.4 kg (7.5 lbs)  |
| BW123F-308     | .308 Win.         | 1:10"    | 51 cm (20")      | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 4+1                  | CERAKOTE™ | 105 cm (41.3") | 3.3 kg (7.2 lbs)  |
| BW125F-7RM     | 7mm Rem. Mag.     | 1:9.5"   | 61 cm (24")      | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 3+1                  | CERAKOTE™ | 112 cm (44.1") | 3.5 kg (7.7 lbs)  |
| BW125F-300     | .300 Win. Mag.    | 1:10"    | 61 cm (24")      | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 3+1                  | CERAKOTE™ | 112 cm (44.1") | 3.5 kg (7.7 lbs)  |
| BW125F-65PRC   | 6.5 PRC           | 1:8"     | 61 cm (24")      | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 2+1                  | CERAKOTE™ | 110 cm (43.3") | 3.4 kg (7.5 lbs)  |
| BW125F-300PRC  | 300 PRC           | 1:9"     | 61 cm (24")      | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 2+1                  | CERAKOTE™ | 116 cm (45.7") | 3.6 kg (7.9 lbs)  |
| WILDERNESS HU  | JNTER - DETACHAB  | LE MAGAZ | INE              |                    |               |                      |           |                |                   |
| BW114-65       | 6.5 Creedmoor     | 1:8"     | 56 cm (22")      | 16.6 mm (No. 4)    | -             | 3+1                  | CERAKOTE™ | 105 cm (41.3") | 3.2 kg (7 lbs)    |
| BW114-308      | .308 Win.         | 1:10"    | 56 cm (22")      | 16.6 mm (No. 4)    | -             | 3+1                  | CERAKOTE™ | 105 cm (41.3") | 3.2 kg (7 lbs)    |
| BW115-7RM      | 7mm Rem. Mag.     | 1:9.5″   | 61 cm (24")      | 16.6 mm (No. 4)    | -             | 2+1                  | CERAKOTE™ | 112 cm (44.1") | 3.3 kg (7.2 lbs)  |
| BW115-300      | .300 Win. Mag.    | 1:10″    | 61 cm (24")      | 16.6 mm (No. 4)    | -             | 2+1                  | CERAKOTE™ | 112 cm (44.1") | 3.3 kg (7.2 lbs)  |
|                | UNTER - FLOORPLA  | 1        |                  |                    | 1             |                      |           |                |                   |
| BW114F-65      | 6.5 Creedmoor     | 1:8"     | 56 cm (22")      | 16.6 mm (No. 4)    | -             | 4+1                  | CERAKOTE™ | 105 cm (41.3") | 3.2 kg (7 lbs)    |
| BW114F-308     | .308 Win.         | 1:10"    | 56 cm (22")      | 16.6 mm (No. 4)    | -             | 4+1                  | CERAKOTE™ | 105 cm (41.3") | 3.2 kg (7 lbs)    |
| BW115F-7RM     | 7mm Rem. Mag.     | 1:9.5″   | 61 cm (24")      | 16.6 mm (No. 4)    | -             | 3+1                  | CERAKOTE™ | 112 cm (44.1") | 3.3 kg (7.2 lbs)  |
| BW115F-300     | .300 Win. Mag.    | 1:10″    | 61 cm (24")      | 16.6 mm (No. 4)    | -             | 3+1                  | CERAKOTE™ | 112 cm (44.1") | 3.3 kg (7.2 lbs)  |

### SPECIFICATIONS

|   | EXTREME SERIES RIFLES |          |                  |                    |                |                      |           |               |                  |  |
|---|-----------------------|----------|------------------|--------------------|----------------|----------------------|-----------|---------------|------------------|--|
| ITEM #  | CALIBER               | TWIST    | BARREL<br>LENGTH | MUZZLE<br>DIAMETER | METRICALTHREAD | MAGAZINE<br>CAPACITY | FINISH    | OVERALLLENGTH | OVERALL WEIGHT   |  |
| EXTREME SPOR  | TER - DETACHABLE      | MAGAZINE |                  |                    |                |                      |           |               | 1                |  |
| BX122-65  | 6.5 Creedmoor         | 1:8″     | 46 cm (18")      | 16.6 mm (No. 4)    | M14x1          | 3+1                  | CERAKOTE™ | 95 cm (37.4") | 3.2 kg (6.8 lbs) |  |
| BX122-308   | .308 Win.             | 1:10"    | 46 cm (18")      | 16.6 mm (No. 4)    | M14x1          | 3+1                  | CERAKOTE™ | 97 cm (38.1″) | 3.1 kg (6.8 lbs) |  |
| EXTREME SPORTER - DETACHABLE MAGAZINE - OPEN SIGHTS |                       |          |                  |                    |                |                      |           |               |                  |  |
| BX122A-65   | 6.5 Creedmoor         | 1:8″     | 46 cm (18")      | 16.6 mm (No. 4)    | M14x1          | 3+1                  | CERAKOTE™ | 95 cm (37.4") | 3.2 kg (6.8 lbs) |  |
| BX122A-308  | .308 Win.             | 1:10"    | 46 cm (18")      | 16.6 mm (No. 4)    | M14x1          | 3+1                  | CERAKOTE™ | 97 cm (38.1″) | 3.1 kg (6.8 lbs) |  |
| EXTREME SPORTER VIPER WESTERN - DETACHABLE MAGAZINE |                       |          |                  |                    |                |                      |           |               |                  |  |
| BX122-65V   | 6.5 Creedmoor         | 1:8″     | 46 cm (18")      | 16.6 mm (No. 4)    | M14x1          | 3+1                  | CERAKOTE™ | 95 cm (37.4") | 3.2 kg (6.8 lbs) |  |
| BX122-308V  | .308 Win.             | 1:10″    | 46 cm (18″)      | 16.6 mm (No. 4)    | M14x1          | 3+1                  | CERAKOTE™ | 97 cm (38.1") | 3.1 kg (6.8 lbs) |  |
| EXTREME HUNT  | FER - DETACHABLE N    | AGAZINE  |                  |                    |                |                      |           |               |                  |  |
| BX112-65  | 6.5 Creedmoor         | 1:8″     | 46 cm (18")      | 16.6 mm (No. 4)    | M14x1          | 3+1                  | CERAKOTE™ | 95 cm (37.4") | 3.2 kg (6.4 lbs) |  |
| BX112-308   | .308 Win.             | 1:10"    | 46 cm (18")      | 16.6 mm (No. 4)    | M14x1          | 3+1                  | CERAKOTE™ | 95 cm (37.4") | 2.9 kg (6.4 lbs) |  |
| EXTREME HUNT  | FER - DETACHABLE N    | AGAZINE  | OPEN SIGHTS      |                    |                |                      |           |               |                  |  |
| BX112A-65   | 6.5 Creedmoor         | 1:8″     | 46 cm (18")      | 16.6 mm (No. 4)    | M14x1          | 3+1                  | CERAKOTE™ | 95 cm (37.4") | 3.2 kg (6.4 lbs) |  |
| BX112A-308  | .308 Win.             | 1:10"    | 46 cm (18")      | 16.6 mm (No. 4)    | M14x1          | 3+1                  | CERAKOTE™ | 95 cm (37.4") | 2.9 kg (6.4 lbs) |  |
| <b>EXTREME HUNT</b>                                 | ER VIPER URBAN        | DETACHA  | BLE MAGAZINE     |                    |                |                      |           |               |                  |  |
| BX112-65V   | 6.5 Creedmoor         | 1:8″     | 46 cm (18")      | 16.6 mm (No. 4)    | M14x1          | 3+1                  | CERAKOTE™ | 95 cm (37.4") | 3.2 kg (6.4 lbs) |  |
| BX112-308V  | .308 Win.             | 1:10"    | 46 cm (18")      | 16.6 mm (No. 4)    | M14x1          | 3+1                  | CERAKOTE™ | 95 cm (37.4") | 2.9 kg (6.8 lbs) |  |
|   |                       |          | -                | B14 SE             | RIFS RIFLES    |                      |           |               |                  |  |

|                |                    |         | BARREL       | MUZZLE              |                | MAGAZINE |           |                |                   |
|----------------|--------------------|---------|--------------|---------------------|----------------|----------|-----------|----------------|-------------------|
| ITEM #         | CALIBER            | TWIST   | LENGTH       | DIAMETER            | METRICALTHREAD | CAPACITY | FINISH    | OVERALLLENGTH  | OVERALL WEIGHT    |
| HMR - DETACHA  | BLE MAGAZINE       |         |              |                     |                |          |           |                |                   |
| BE145-22250    | .22-250 Rem.       | 1:9"    | 61 cm (24")  | 21.2 mm (No. 6)     | M18x1          | 5+1      | CERAKOTE™ | 115 cm (45.3") | 4.5 kg (9.9 lbs)  |
| BE145-65       | 6.5 Creedmoor      | 1:8"    | 61 cm (24")  | 21.2 mm (No. 6)     | M18x1          | 5+1      | CERAKOTE™ | 115 cm (45.3") | 4.5 kg (9.9 lbs)  |
| BE146-65       | 6.5 Creedmoor      | 1:8"    | 66 cm (26")  | 21.2 mm (No. 6)     | M18x1          | 5+1      | CERAKOTE™ | 120 cm (47.2") | 4.6 kg (10.1 lbs) |
| BE145-308      | .308 Win.          | 1:10"   | 61 cm (24")  | 21.2 mm (No. 6)     | M18x1          | 5+1      | CERAKOTE™ | 115 cm (45.3") | 4.5 kg (9.9 lbs)  |
| BE146-300      | .300 Win. Mag.     | 1:10"   | 66 cm (26")  | 19 mm (No. 5.5)     | M15x1          | 5+1      | CERAKOTE™ | 120 cm (47.2″) | 4.6 kg (10.1 lbs) |
|                | ETACHABLE MAGAZI   |         |              |                     |                | L        |           |                |                   |
| BE144-65G      | 6.5 Creedmoor      | 1:8"    | 56 cm (22")  | 19 mm (No. 5.5)     | M15X1          | 5+1      | CERAKOTE™ | 110 cm (43.3") | 4.3 kg (9.5 lbs)  |
| BE143-308G     | .308 Win.          | 1:10"   | 51 cm (20")  | 19 mm (No. 5.5)     | M15x1          | 5+1      | CERAKOTE™ | 105 cm (41.3") | 4.1 kg (9 lbs)    |
| BE146-300G     | .300 Win. Mag.     | 1:10″   | 66 cm (26″)  | 19 mm (No. 5.5)     | M15x1          | 5+1      | CERAKOTE™ | 120 cm (47.2″) | 4.6 kg (10.1 lbs) |
|                | BLE MAGAZINE - LEF | 1       |              | 21.2 (1) (2)        | 1440.4         |          |           | 445 (45.20)    |                   |
| BE145-22250Z   | .22-250 Rem.       | 1:9"    | 61 cm (24")  | 21.2 mm (No. 6)     | M18x1          | 5+1      | CERAKOTE™ | 115 cm (45.3") | 4.5 kg (9.9 lbs)  |
| BE145-65Z      | 6.5 Creedmoor      | 1:8"    | 61 cm (24")  | 21.2 mm (No. 6)     | M18x1          | 5+1      | CERAKOTE™ | 115 cm (45.3") | 4.5 kg (9.9 lbs)  |
| BE146-65Z      | 6.5 Creedmoor      | 1:0"    | 66 cm (26")  | 21.2 mm (No. 6)     | M18x1          | 5+1      | CERAKOTE™ | 120 cm (47.2") | 4.6 kg (10.1 lbs) |
| BE145-308Z     | .308 Win.          | 1:10"   | 61 cm (24")  | 21.2 mm (No. 6)     | M18x1          | 5+1      | CERAKOTE™ | 115 cm (45.3") | 4.5 kg (9.9 lbs)  |
| BE143-308Z     | .308 Win.          | 1:10"   | 51 cm (20")  | 19 mm (No. 5.5)     | M15x1          | 5+1      | CERAKOTE™ | 105 cm (41.3") | 4.1 kg (9 lbs)    |
| BE146-300Z     | .300 Win Mag       | 1:10"   | 66 cm (26")  | 19 mm (No. 5.5)     | M15x1          | 5+1      | CERAKOTE™ | 120 cm (47.2") | 4.6 kg (10.1 lbs) |
| BMP - DETACHAI |                    | 1       |              |                     |                | 1        | 1         |                | 1                 |
| BE155-65       | 6.5 Creedmoor      | 1:8"    | 61 cm (24")  | 21.2 mm (No. 6)     | M18x1          | 5+1      | CERAKOTE™ | 110 cm (43.3") | 5 kg (11 lbs)     |
| BE156-65       | 6.5 Creedmoor      | 1:8"    | 66 cm (26")  | 21.2 mm (No. 6)     | M18x1          | 5+1      | CERAKOTE™ | 115 cm (45.3″) | 5.2 kg (11.4 lbs) |
| BE153-308      | .308 Win.          | 1:10"   | 51 cm (20")  | 21.2 mm (No. 6)     | M18x1          | 5+1      | CERAKOTE™ | 100 cm (39.4") | 4.9 kg (10.8 lbs) |
| BE155-308      | .308 Win.          | 1:10"   | 61 cm (24")  | 21.2 mm (No. 6)     | M18x1          | 5+1      | CERAKOTE™ | 110 cm (43.3") | 5 kg (11 lbs)     |
| BE157-308SV    | .308 Win.          | 1:11″   | 71 cm (28")  | 25 mm (0.98)        | NO             | 5+1      | CERAKOTE™ | 120 cm (47.2") | 6 kg (13.22 lbs)  |
| SPORTER - DETA | CHABLE MAGAZINE    |         |              |                     |                |          |           |                |                   |
| BE124-243      | .243 Win.          | 1:10"   | 56 cm (22")  | 16.6 mm (No. 4)     | M14x1          | 3+1      | CERAKOTE™ | 110 cm (43.3") | 3.3 kg (7.2 lbs)  |
| BE124-65       | 6.5 Creedmoor      | 1:8"    | 56 cm (22")  | 16.6 mm (No. 4)     | M14x1          | 3+1      | CERAKOTE™ | 107 cm (42.1") | 3.3 kg (7.2 lbs)  |
| BE124-308      | .308 Win.          | 1:12"   | 56 cm (22")  | 16.6 mm (No. 4)     | M14x1          | 3+1      | CERAKOTE™ | 107 cm (42.1") | 3.3 kg (7.2 lbs)  |
| BE125-65X      | 6.5x55 SE          | 1:8.66" | 61 cm (24")  | 16.6 mm (No. 4)     | M14x1          | 3+1      | CERAKOTE™ | 115 cm (45.3") | 3.4 kg (7.5 lbs)  |
| BE125-270      | .270 Win.          | 1:10"   | 61 cm (24")  | 16.6 mm (No. 4)     | M14x1          | 3+1      | CERAKOTE™ | 115 cm (45.3") | 3.4 kg (7.5 lbs)  |
| BE125-3006     | .30-06 Spring.     | 1:10"   | 61 cm (24")  | 16.6 mm (No. 4)     | M14x1          | 3+1      | CERAKOTE™ | 115 cm (45.3") | 3.4 kg (7.5 lbs)  |
| BE125-8X5      | 8x57 JS            | 1:10"   | 61 cm (24")  | 16.6 mm (No. 4)     | M14x1          | 3+1      | CERAKOTE™ | 115 cm (45.3") | 3.4 kg (7.5 lbs)  |
| BE125-7RM      | 7 mm Rem. Mag.     | 1:9.5"  | 61 cm (24")  | 16.6 mm (No. 4)     | M14x1          | 2+1      | CERAKOTE™ | 115 cm (45.3") | 3.4 kg (7.5 lbs)  |
| BE125-300      | .300 Win. Mag.     | 1:10"   | 61 cm (24")  | 16.6 mm (No. 4)     | M14x1          | 2+1      | CERAKOTE™ | 115 cm (45.3") | 3.4 kg (7.5 lbs)  |
| BE125-338      | .338 Win Mag.      | 1:10"   | 61 cm (24")  | 19.1 mm (No. 5.5)   | M15x1          | 2+1      | CERAKOTE™ | 107 cm (42.1") | 3.4 kg (7.5 lbs)  |
| SPORTER GREEI  |                    |         | 01 Cm (24 )  | 12.1 mm (10. 3.3)   |                |          |           | 107 (11(42.17) | 5. r kg (7.5 103) |
| BE124-65G      | 6,5 Creedmoor      | 1:8″    | 56 cm (22″)  | 16.6 mm (No. 4)     | M14x1          | 3+1      | CERAKOTE™ | 107 cm (42.1") | 3.3 kg (7.2 lbs)  |
| BE124-3006G    | .30-06 Spring.     | 1:10″   | 56 cm (22")  | 16.6 mm (No. 4)     | M14x1          | 3+1      | CERAKOTE™ | 109 cm (42.9") | 3.4 kg (7.5 lbs)  |
| BE124-308G     | .308 Win.          | 1:12″   | 56 cm (22")  | 16.6 mm (No. 4)     | M14x1          | 3+1      | CERAKOTE™ | 107 cm (42.1") | 3.3 kg (7.2 lbs)  |
| BE125-300G     | .300 Win Mag       | 1:10"   | 61 cm (22")  | 16.6 mm (No. 4)     | M14x1          | 2+1      | CERAKOTE™ |                |                   |
| DL125-500G     | .500 with Mag      | 1:10    | 01 CHI (24 ) | 10.0 11111 (100. 4) | W114X1         | 271      | CERAROTE  | 115 cm (45.3″) | 3.4 kg (7.5 lbs)  |

| E SERIES | RIFLES |
|----------|--------|
|----------|--------|

### B14 SERIES RIFLES

| ITEM #         CALIBER         TWIST         BARREL<br>LENGTH         MUZZLEDIAMETER         METRICALTHREAD         MAGAZINE<br>CAPACITY         FINISH         OVERALLLENG           SPORTER - FLOORPLATE MAGAZINE<br>BE124F-243         6.43 Win.         11:0"         56 cm (22")         16.6 mm (No. 4)         M14x1         4+1         CERAKOTE"         110 cm (43.3")           BE124F-243         6.30 Win.         11:2"         56 cm (22")         16.6 mm (No. 4)         M14x1         4+1         CERAKOTE"         107 cm (42.1")           BE124F-308         .308 Win.         11:2"         56 cm (22")         16.6 mm (No. 4)         M14x1         4+1         CERAKOTE"         110 cm (43.3")           BE125F-270         .270 Win.         11:0"         61 cm (24")         16.6 mm (No. 4)         M14x1         4+1         CERAKOTE"         115 cm (45.3")           BE125F-300         .30-06 Spring         11:0"         61 cm (24")         16.6 mm (No. 4)         M14x1         4+1         CERAKOTE"         115 cm (45.3")           BE125F-300         .30-0Win. Mag.         1:0"         61 cm (24")         16.6 mm (No. 4)         M14x1         3+1         CERAKOTE"         115 cm (45.3")           BE125F-300         .300 Win. Mag.         1:0"         61 cm (24")         12.2 mm (No. 6)  | ER - FLOORPL           243         .24           55         6.5  | LATE MAGAZINE                        |               |                            | MUZZLEDIAMETER                     | METRICALTHREAD             |          |            |                  |  |
|--|--|--------------------------------------|---------------|----------------------------|------------------------------------|----------------------------|----------|------------|------------------|--|
| BE124F-243243 Win.110"5 cm (2)16 cm (3)M (4)4 f (4)CERAKOTE10 cm (4).7)BE124F-6346.5 Creedmon1.8"5 cm (2)1.6 cm (No.4)M (4)4.1CERAKOTE10 cm (2).7)BE125F-6346.5 CS (2)6.5 CS (2)6.5 CS (2)6.5 CS (2)6.5 CS (2)1.5 CM (2)1.5 CM (2)1.5 CM (2)BE125F-6306.3 CS (2)1.6 CM1.6 Cm (No.4)M (4)4.1CERAKOTE1.5 Cm (2).7BE125F-6303.0 CS (2)1.0"6.0 CM (2)1.6 Cm (No.4)M (4)4.1CERAKOTE1.5 Cm (2).7BE125F-7407.0 SATS1.10"6.0 CM (2)1.6 Cm (No.4)M (4)4.1CERAKOTE1.5 Cm (2).7BE125F-7407.0 SATS1.10"6.0 CM (2)1.6 Cm (No.4)M (4)4.1CERAKOTE1.5 Cm (2).7BE125F-7207.0 SATS1.0"6.0 CM (2)1.6 Cm (No.4)M (4)3.1CERAKOTE1.5 Cm (2).7BE125F-7207.0 SATS1.0"6.0 CM (2)1.0 Cm (No.4)M (1)3.1CERAKOTE1.5 Cm (2).7BE125F-7207.0 SATS1.0"6.0 CM (2)1.2 Cm (No.4)M (1)3.1CERAKOTE1.5 Cm (2).7BE125F-7207.0 SATS1.0"6.0 CM (2)1.2 Cm (No.4)M (1)M (1)M (1)M (1)M (1)BE125F-7207.0 SATS1.5 Cm (2)1.2 Cm (2)1.2 Cm (2)M (1)M (1)M (1)M (1)M (1)M (1)M (1)M (1)M (1)   | 243 .24<br>55 6.5  |                                      |               |                            |                                    |                            | CAPACITY |            | OVERALLLENGTH    | OVERALL WEIGHT   |
| BE124F-65         6.5 Creedmoor         1.8"         56 cm (22")         16.6 mm (No.4)         M14x1         4+1         CERAKOTE"         107 cm (42.1")           BE124F-308         .308 Win.         1:12"         56 cm (22")         16.6 mm (No.4)         M14x1         4+1         CERAKOTE"         107 cm (42.1")           BE125F-65X         .5x55 SE         18.66"         61 cm (24")         16.6 mm (No.4)         M14x1         4+1         CERAKOTE"         115 cm (45.3")           BE125F-306         .30-06 Spring.         1:10"         61 cm (24")         16.6 mm (No.4)         M14x1         4+1         CERAKOTE"         115 cm (45.3")           BE125F-306         .30-00 Win. Mag.         1:10"         61 cm (24")         16.6 mm (No.4)         M14x1         3+1         CERAKOTE"         115 cm (45.3")           BE125F-300         .300 Win. Mag.         1:10"         61 cm (24")         16.6 mm (No.4)         M14x1         3+1         CERAKOTE"         115 cm (45.3")           BE125F-300         .300 Win. Mag.         1:10"         61 cm (24")         12.1 mm (No.5)         M15x1         3+1         CERAKOTE"         115 cm (45.3")           BE125-302         .22-250 Rem.         1.9"         61 cm (24")         1.2 mm (No.6)         M18x1         3+1   | 6.5  | -+                                   | 1.10"         | 56 cm (22")                | 16.6 mm (No. 4)                    | M14x1                      | 4+1      | CERAKOTEM  | 110 cm (43 3")   | 3.4 kg (7.5 lbs)                                       |
| BE124F-308         308 Win.         1:12*         56 cm (27)         16.6 mm (No.4)         M14x1         4+1         CERAKOTE**         107 cm (42.1*)           BE125F-65X         6.5x55 SE         1.8.66*         61 cm (24*)         16.6 mm (No.4)         M14x1         4+1         CERAKOTE**         115 cm (45.3*)           BE125F-700         2.70 Win.         1.10*         61 cm (24*)         16.6 mm (No.4)         M14x1         4+1         CERAKOTE**         115 cm (45.3*)           BE125F-700         3.00 do 5 pring.         1.10*         61 cm (24*)         16.6 mm (No.4)         M14x1         4+1         CERAKOTE**         115 cm (45.3*)           BE125F-780         3.00 Win. Mag.         1.10*         61 cm (24*)         16.6 mm (No.4)         M14x1         3+1         CERAKOTE**         115 cm (45.3*)           BE125F-730         3.00 Win. Mag.         1.10*         61 cm (24*)         1.6 mm (No.4)         M14x1         3+1         CERAKOTE**         115 cm (45.3*)           BE125F-250V         2.22 bor Rem.         1.10*         61 cm (24*)         1.2 mm (No.6)         M18x1         3+1         CERAKOTE**         114 cm (44.8*)           BE125-250V         2.5 creedmoor         1.8*         61 cm (24*)         1.2 mm (No.6)         M18x1         3+1 </td <td></td> <td>5 Creedmoor</td> <td></td> <td></td> <td>. ,</td> <td></td> <td></td> <td></td> <td></td> <td>3.4 kg (7.5 lbs)</td>   |  | 5 Creedmoor                          |               |                            | . ,                                |                            |          |            |                  | 3.4 kg (7.5 lbs)                                       |
| BE125F-65X65.S5 SE18.66"61 cm (24")16.6 mm (No.4)M14x14+1CERAKOTE"115 cm (45.7)BE125F-270.270 Win.110"61 cm (24")16.6 mm (No.4)M14x14+1CERAKOTE"115 cm (45.7)BE125F-3006.30-06 Spring.110"61 cm (24")16.6 mm (No.4)M14x14+1CERAKOTE"115 cm (45.7)BE125F-3077 mm Rem.Mag.19.5"61 cm (24")16.6 mm (No.4)M14x14+1CERAKOTE"115 cm (45.37)BE125F-308.300 Win.Mag.110"61 cm (24")16.6 mm (No.4)M14x13+1CERAKOTE"115 cm (45.37)BE125F-308.300 Win.Mag.110"61 cm (24")16.6 mm (No.4)M14x13+1CERAKOTE"115 cm (45.37)BE125F-308.300 Win.Mag.110"61 cm (24")12.1 mm (No.5)M15x13+1CERAKOTE"114 cm (44.7)BE125F-308.2250 Rem.1.9"61 cm (24")21.2 mm (No.6)M18x13+1CERAKOTE"114 cm (44.7)BE125-50V.6.5 Creedmoon1.8"6 cm (24")21.2 mm (No.6)M18x13+1CERAKOTE"114 cm (44.7)BE125-50V.6.5 Creedmoon1.8"5 cm (22")12.2 mm (No.6)M18x13+1CERAKOTE"114 cm (44.7)BE125-50V.6.5 Creedmoon1.8"5 cm (22")16.6 mm (No.4)M14x13+1CERAKOTE"114 cm (44.7)BE114-50X.5.5 SE1.8.6"61 cm (24")16.6 mm (No.4)M14x13+1CERAKOTE"115 cm (4   | 1.30   |                                      |               | . ,                        |                                    |                            |          |            |                  | 3.4 kg (7.5 lbs)                                       |
| BE12SF-2702.70 Win.11.0"61 cm (24")16.6 mm (No.4)M14x14+1CERAKOTE"115 cm (45.3")BE12SF-30063.0-6 Spring.1.10"61 cm (24")16.6 mm (No.4)M14x14+1CERAKOTE"115 cm (45.3")BE12SF-38X8.57 JS1.10"61 cm (24")16.6 mm (No.4)M14x13+1CERAKOTE"115 cm (45.3")BE12SF-3803.00 Win.Mag.1.10"61 cm (24")16.6 mm (No.4)M14x13+1CERAKOTE"115 cm (45.3")BE12SF-3833.38 Win.Mag.1.10"61 cm (24")16.6 mm (No.4)M14x13+1CERAKOTE"10 cm (43.7")BE12SF-3833.38 Win.Mag.1.10"61 cm (24")12.1 mm (No.5.5M15x13+1CERAKOTE"116 cm (44.8")BE12SF-3876.5 Creedmoor1.8"61 cm (24")21.2 mm (No.6M18x13+1CERAKOTE"114 cm (44.8")BE12S-65V6.5 Creedmoor1.8"61 cm (24")21.2 mm (No.6M18x13+1CERAKOTE"114 cm (44.8")BE12S-65V6.5 Creedmoor1.8"61 cm (24")21.2 mm (No.6M18x13+1CERAKOTE"114 cm (44.8")BE12S-63V3.08 Win.1.12"5 cm (22")16.6 mm (No.4)M14x13+1CERAKOTE"110 cm (43.3")BE12S-63V6.5 Creedmoor1.8"5 cm (22")16.6 mm (No.4)M14x13+1CERAKOTE"110 cm (43.7")BE12S-63V6.5 Creedmoor1.8"5 cm (22")16.6 mm (No.4)M14x13+1CERAKOTE"110   |  |                                      |               |                            |                                    |                            |          |            | . ,              |  |
| BE125F-3006.3.0.06 Spring.1:10"61 cm (24")16.6 mm (No.4)M14x14+1CERAKOTE"115 cm (45.3")BE125F-8X58x57 JS1:10"61 cm (24")16.6 mm (No.4)M14x13+1CERAKOTE"115 cm (45.3")BE125F-300300 Win.Mag.1:10"61 cm (24")16.6 mm (No.4)M14x13+1CERAKOTE"115 cm (45.3")BE125F-303.338 Win.Mag.1:10"61 cm (24")10.6 mm (No.4)M14x13+1CERAKOTE"115 cm (45.3")BE125F-328.338 Win.Mag.1:10"61 cm (24")19.1 mm (No.55M18x13+1CERAKOTE"110 cm (45.4")SPORTERVARMUTT-DETAHABLE-XCHABLESeratore114 cm (24.8")114 cm (24.8")114 cm (24.8")114 cm (24.8")BE125-625V6.5 Creedmoor1.8"61 cm (24")21.2 mm (No.6M18x13+1CERAKOTE"114 cm (24.8")BE125-625V6.5 Creedmoor1.8"61 cm (24")21.2 mm (No.6M18x13+1CERAKOTE"114 cm (24.8")BE125-625V6.5 Creedmoor1.8"61 cm (24")21.2 mm (No.6M18x13+1CERAKOTE"114 cm (24.8")BE125-625V6.5 Creedmoor1.8"56 cm (25")1.2 mm (No.6)M18x13+1CERAKOTE"110 cm (43.3")BE125-625W6.5 Creedmoor1.8"56 cm (22")1.6 mm (No.4)M14x13+1CERAKOTE"110 cm (43.3")BE114-5303.08 Win.1.12"56 cm (22")1.6 mm (No.4)M14x13+1CERAKOTE"115 cm (4  |  |                                      |               |                            |                                    |                            |          |            |                  | 3.5 kg (7.7 lbs)                                       |
| BE125F-8XS         8x57 J5         1:10"         61 cm (24")         16.6 mm (No. 4)         M14x1         4+1         CERAKOTE <sup>™</sup> 115 cm (45.3")           BE125F-7RM         7 mm Rem. Mag.         1:9.5"         61 cm (24")         16.6 mm (No. 4)         M14x1         3+1         CERAKOTE <sup>™</sup> 115 cm (45.3")           BE125F-300         .300 Win. Mag.         1:10"         61 cm (24")         16.6 mm (No. 4)         M14x1         3+1         CERAKOTE <sup>™</sup> 115 cm (45.3")           BE125F-338         .338 Win. Mag.         1:10"         61 cm (24")         19.1 mm (No. 5.5)         M15x1         3+1         CERAKOTE <sup>™</sup> 114 cm (44.8")           SPORTER VARMINT - DETACHABLE MAGAZINE         BE125-65V         6.5 Creedmoor         1.8"         61 cm (24")         21.2 mm (No. 6)         M18x1         3+1         CERAKOTE <sup>™</sup> 114 cm (44.8")           BE125-65V         6.5 Creedmoor         1.8"         66 cm (20")         21.2 mm (No. 6)         M18x1         3+1         CERAKOTE <sup>™</sup> 114 cm (44.8")           TIMEE - DETACHABLE MAGAZINE            CERAKOTE <sup>™</sup> 114 cm (44.8")           BE114-50         6.5 Creedmoor         1.8"         56 cm (22")         16.6 mm (No.4)         M14x1         3+1   |  |                                      |               |                            |                                    |                            |          |            |                  | 3.5 kg (7.7 lbs)                                       |
| BE125F-7RM         7 mm Rem. Mag.         19.5"         61 cm (24")         16.6 mm (No.4)         M14x1         3+1         CERAKOTE <sup>™</sup> 115 cm (45.3")           BE125F-300         .300 Win. Mag.         1:10"         61 cm (24")         16.6 mm (No.4)         M14x1         3+1         CERAKOTE <sup>™</sup> 115 cm (45.3")           BE125F-338         .338 Win. Mag.         1:10"         61 cm (24")         19.1 mm (No.5.5)         M15x1         3+1         CERAKOTE <sup>™</sup> 107 cm (42.1")           SPORTER VARMINT - DETACHABLE M-KAZULT          SCRAKOTE <sup>™</sup> 114 cm (44.8")         3+1         CERAKOTE <sup>™</sup> 114 cm (44.8")           BE125-65V         6.5 Creedmoor         1.8"         61 cm (24")         21.2 mm (No.6)         M18x1         3+1         CERAKOTE <sup>™</sup> 114 cm (44.8")           BE126-65V         6.5 Creedmoor         1.8"         66 cm (25")         21.2 mm (No.6)         M18x1         3+1         CERAKOTE <sup>™</sup> 118 cm (46.4")           BE126-65V         6.5 Creedmoor         1.8"         56 cm (22")         16.6 mm (No.4)         M14x1         3+1         CERAKOTE <sup>™</sup> 110 cm (43.3")           BE126-55X         6.5 Creedmoor         1.8"         56 cm (22")         16.6 mm (No.4)         M14x1         3+1         CE   |  |                                      |               |                            |                                    |                            |          |            |                  | 3.5 kg (7.7 lbs)                                       |
| BE125F-300         .300 Win. Mag.         1:10"         61 cm (24")         16.6 mm (No.4)         M14x1         3+1         CERAKOTE"         115 cm (45.3")           BE125F-338         .338 Win. Mag.         1:10"         61 cm (24")         19.1 mm (No.5)         M15x1         3+1         CERAKOTE"         107 cm (42.1")           SPORTER VARMINT - DETACHABLE MAGAZINE         BE125-22250V         .22-250 Rem.         1.9"         61 cm (24")         21.2 mm (No.6)         M18x1         3+1         CERAKOTE"         114 cm (44.8")           BE125-65V         6.5 Creedmoor         1.8"         61 cm (24")         21.2 mm (No.6)         M18x1         3+1         CERAKOTE"         114 cm (44.8")           BE126-65V         6.5 Creedmoor         1.8"         66 cm (26")         21.2 mm (No.6)         M18x1         3+1         CERAKOTE"         114 cm (44.8")           BE126-50V         3.08 Win.         1:8"         66 cm (22")         21.2 mm (No.6)         M18x1         3+1         CERAKOTE"         114 cm (44.8")           BE125-308V         3.08 Win.         1:8"         56 cm (22")         16.6 mm (No.4)         M14x1         3+1         CERAKOTE"         114 cm (44.8")           BE114-308         .308 Win.         1:12"         56 cm (22")         16.6 mm (No.4)   |  |                                      |               |                            |                                    |                            |          |            |                  | 3.5 kg (7.7 lbs)                                       |
| BE125F-338       338 Win. Mag.       1:10"       61 cm (24")       19.1 mm (No. 5.5)       M15x1       3+1       CERAKOTE"       107 cm (42.1")         SPORTER VARMINT - DETACHABLE MAGAZINE       BE125-22250V       22-250 Rem.       1:9"       61 cm (24")       21.2 mm (No. 6)       M18x1       3+1       CERAKOTE"       114 cm (44.8")         BE125-65V       6.5 Creedmoor       1:8"       61 cm (24")       21.2 mm (No. 6)       M18x1       3+1       CERAKOTE"       114 cm (44.8")         BE126-65V       6.5 Creedmoor       1:8"       66 cm (26")       21.2 mm (No. 6)       M18x1       3+1       CERAKOTE"       118 cm (46.4")         BE125-308V       308 Win.       1:10"       61 cm (24")       21.2 mm (No. 6)       M18x1       3+1       CERAKOTE"       118 cm (46.4")         BE125-308V       308 Win.       1:10"       61 cm (24")       16.6 mm (No.4)       M14x1       3+1       CERAKOTE"       110 cm (43.3")         BE114-65       6.5 Creedmoor       1:8"       56 cm (22")       16.6 mm (No.4)       M14x1       3+1       CERAKOTE"       110 cm (43.3")         BE114-308       308 Win.       1:12"       56 cm (22")       16.6 mm (No.4)       M14x1       3+1       CERAKOTE"       110 cm (43.3")         BE1   |  | -                                    |               |                            |                                    |                            |          |            |                  | 3.5 kg (7.7 lbs)                                       |
| SPORTER VARMINT - DETACHABLE MAGAZINE           BE125-222250V         .22-250 Rem.         1:9"         61 cm (24")         21.2 mm (No. 6)         M18x1         3+1         CERAKOTE™         114 cm (44.8")           BE125-65V         6.5 Creedmoor         1:8"         61 cm (24")         21.2 mm (No. 6)         M18x1         3+1         CERAKOTE™         114 cm (44.8")           BE126-65V         6.5 Creedmoor         1:8"         66 cm (26")         21.2 mm (No. 6)         M18x1         3+1         CERAKOTE™         118 cm (46.4")           BE125-308V         .308 Win.         1:10"         61 cm (24")         21.2 mm (No. 6)         M18x1         3+1         CERAKOTE™         118 cm (46.4")           BE125-308V         .308 Win.         1:10"         61 cm (24")         21.2 mm (No. 6)         M18x1         3+1         CERAKOTE™         110 cm (43.3")           BE114-308         .308 Win.         1:12"         56 cm (22")         16.6 mm (No.4)         M14x1         3+1         CERAKOTE™         110 cm (43.3")           BE115-55X         6.5X55 SE         1:8.6"         61 cm (24")         16.6 mm (No.4)         M14x1         3+1         CERAKOTE™         115 cm (45.3")           BE115-80K         .30-06 Spring.         1:10"         61 cm (24") <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>3.5 kg (7.7 lbs)</td>   |  |                                      |               |                            |                                    |                            |          |            |                  | 3.5 kg (7.7 lbs)                                       |
| BE125-22250V2.2-250 Rem.1.9"61 cm (24")21.2 mm (No.6)M1813+1CERAKOTE"114 cm (44.8")BE125-65V6.5 Creedmoor1.8"61 cm (24")21.2 mm (No.6)M1813+1CERAKOTE"114 cm (44.8")BE126-65V6.5 Creedmoor1.8"6 cm (26")21.2 mm (No.6)M1813+1CERAKOTE"118 cm (46.4")BE125-308V.308 Win.1.10"61 cm (24")21.2 mm (No.6)M1813+1CERAKOTE"114 cm (44.8")BE125-308V.308 Win.1.10"61 cm (24")16.6 mm (No.4)M1413+1CERAKOTE"110 cm (43.3")BE114-65X6.5 Creedmoor1.8"5 cm (22")16.6 mm (No.4)M1413+1CERAKOTE"110 cm (43.3")BE115-5X6.5 Sr 5E1.8.6"61 cm (24")16.6 mm (No.4)M1413+1CERAKOTE"115 cm (45.3")BE115-30063.0-6 Spring.1.10"5 cm (22")16.6 mm (No.4)M1413+1CERAKOTE"115 cm (45.3")BE115-3013.0-6 Spring.1.10"5 cm (22")16.6 mm (No.4)M1413+1CERAKOTE"115 cm (45.3")BE115-3023.0-6 Spring.1.10"6 cm (24")16.6 mm (No.4)M1413+1CERAKOTE"115 cm (45.3")BE115-3033.0-6 Spring.1.10"6 cm (24")16.6 mm (No.4)M1413+1CERAKOTE"115 cm (45.3")BE115-3043.3-8 Win.Mag.1.10"6 cm (24")16.6 mm (No.4)M1412+1CERAKOTE"115 cm (45.3")<   |  | 5                                    |               | 61 cm (24")                | 19.1 mm (No. 5.5)                  | M15x1                      | 3+1      | CERAKOTE™  | 107 cm (42.1″)   | 3.4 kg (7.5 lbs)                                       |
| BE125-65V6.5 Creedmoor1.8"61 cm (24")21.2 mm (No.6)M18x13+1CERAKOTE"114 cm (44.8")BE126-65V6.5 Creedmoor1.8"66 cm (26")21.2 mm (No.6)M18x13+1CERAKOTE"118 cm (46.4")BE125-308V.308 Win.1.10"61 cm (24")21.2 mm (No.6)M18x13+1CERAKOTE"114 cm (44.8")TIMBER - DETACHARGAZINE.308 Win.1.10"56 cm (22")16.6 mm (No.4)M14x13+1CERAKOTE"110 cm (43.3")BE114-6506.5 Creedmoor1.8"56 cm (22")16.6 mm (No.4)M14x13+1CERAKOTE"110 cm (43.3")BE115-65X6.5x55 SE1.8.66"61 cm (24")16.6 mm (No.4)M14x13+1CERAKOTE"115 cm (45.3")BE115-3006.30-06 Spring.1:10"61 cm (24")16.6 mm (No.4)M14x13+1CERAKOTE"115 cm (45.3")BE115-3005.30-06 Spring.1:10"61 cm (24")16.6 mm (No.4)M14x13+1CERAKOTE"115 cm (45.3")BE115-3006.30-06 Spring.1:10"61 cm (24")16.6 mm (No.4)M14x13+1CERAKOTE"115 cm (45.3")BE115-300.300 Win.Mag.1:10"61 cm (24")16.6 mm (No.4)M14x12+1CERAKOTE"115 cm (45.3")BE115-300.300 Win.Mag.1:10"61 cm (24")10.6 mm (No.4)M14x12+1CERAKOTE"115 cm (45.3")BE115-301.300 Win.Mag.1:10"61 cm (24")10.6 mm (No.4)M14x12+1  |  |                                      |               | 61 cm (24")                | 21.2 mm (No. 6)                    | M18x1                      | 3+1      | CERAKOTE™  | 114 cm (44.8″)   | 3.8 kg (8.3 lbs)                                       |
| Bet 26-65V         6.5 Creedmoor         1.8"         66 cm (26")         21.2 mm (No. 6)         M18x1         3+1         CERAKOTE <sup>™</sup> 118 cm (46.4")           Bet 25-308V         308 Win.         1:10"         61 cm (24")         21.2 mm (No. 6)         M18x1         3+1         CERAKOTE <sup>™</sup> 114 cm (46.4")           TIMBER - DETACH-BLE MAGAZINE         Bet 14-5         6.5 Creedmoor         1.8"         5 cm (22")         16.6 mm (No. 4)         M14x1         3+1         CERAKOTE <sup>™</sup> 110 cm (43.3")           Bet 14-5         6.5x55 SE         18.66"         61 cm (24")         16.6 mm (No. 4)         M14x1         3+1         CERAKOTE <sup>™</sup> 110 cm (43.3")           Bet 14-308         308 Win.         1:10"         61 cm (24")         16.6 mm (No. 4)         M14x1         3+1         CERAKOTE <sup>™</sup> 115 cm (45.3")           Bet 14-3006         30-06 Spring.         1:10"         61 cm (24")         16.6 mm (No. 4)         M14x1         3+1         CERAKOTE <sup>™</sup> 115 cm (45.3")           Bet 14-3006         30-06 Spring.         1:10"         61 cm (24")         16.6 mm (No. 4)         M14x1         3+1         CERAKOTE <sup>™</sup> 110 cm (43.3")           Bet 14-3006         30-06 Spring.         1:10"         61 cm (24")         16.6 m   |  |                                      |               |                            |                                    |                            |          |            |                  | 3.8 kg (8.3 lbs)                                       |
| BE125-308V.308 Win.1:10"61 cm (24")21.2 mm (No. 6)M18x13+1CERAKOTE™114 cm (44.8")TIMBER - DETACH-BLE MAGAZINE56 cm (22")16.6 mm (No. 4)M14x13+1CERAKOTE™110 cm (43.3")BE114-556.5 Creedmoor1.8"56 cm (22")16.6 mm (No. 4)M14x13+1CERAKOTE™110 cm (43.3")BE115-65X6.5x55 SE1:8.66"61 cm (24")16.6 mm (No. 4)M14x13+1CERAKOTE™115 cm (45.3")BE115-3006.30-06 Spring.1:10"61 cm (24")16.6 mm (No. 4)M14x13+1CERAKOTE™115 cm (45.3")BE114-308.30-06 Spring.1:10"61 cm (24")16.6 mm (No. 4)M14x13+1CERAKOTE™115 cm (45.3")BE114-306.30-06 Spring.1:10"61 cm (24")16.6 mm (No. 4)M14x13+1CERAKOTE™115 cm (45.3")BE115-3X58x57 JS1:10"61 cm (24")16.6 mm (No. 4)M14x13+1CERAKOTE™115 cm (45.3")BE115-3X5.300 Win. Mag.1:10"61 cm (24")16.6 mm (No. 4)M14x12+1CERAKOTE™115 cm (45.3")BE115-3X5.338 Win. Mag.1:10"61 cm (24")10.6 mm (No. 4)M14x12+1CERAKOTE™115 cm (45.3")BE115-3X5.338 Win. Mag.1:10"61 cm (24")10.6 mm (No. 4)M14x12+1CERAKOTE™115 cm (45.3")BE115-336.338 Win. Mag.1:10"61 cm (24")12.1 mm (No. 5.5M15x12+1CERAKOTE™ <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>3.9 kg (8.6 lbs)</td>  |  |                                      |               |                            |                                    |                            |          |            |                  | 3.9 kg (8.6 lbs)                                       |
| TIMBER - DETACL-ABLE MAGAZINE         U         U         M14x1         3+1         CERAKOTE™         110 cm (43.3")           BE114-65         6.5 Creedmoor         1:8"         56 cm (22")         16.6 mm (No.4)         M14x1         3+1         CERAKOTE™         110 cm (43.3")           BE114-308         .308 Win.         1:12"         56 cm (22")         16.6 mm (No.4)         M14x1         3+1         CERAKOTE™         110 cm (43.3")           BE115-65X         6.5x55 SE         1:8.66"         61 cm (24")         16.6 mm (No.4)         M14x1         3+1         CERAKOTE™         115 cm (45.3")           BE115-3006         .30-06 Spring.         1:10"         61 cm (24")         16.6 mm (No.4)         M14x1         3+1         CERAKOTE™         115 cm (45.3")           BE114-3006         .30-06 Spring.         1:10"         61 cm (24")         16.6 mm (No.4)         M14x1         3+1         CERAKOTE™         110 cm (43.3")           BE115-306         .30-06 Spring.         1:10"         61 cm (24")         16.6 mm (No.4)         M14x1         3+1         CERAKOTE™         110 cm (43.3")           BE115-375         300 Win.Mag.         1:0"         61 cm (24")         16.6 mm (No.4)         M14x1         2+1         CERAKOTE™         110 cm (43.3")  |  |                                      |               |                            |                                    |                            |          |            |                  | 3.8 kg (8.3 lbs)                                       |
| BE114-656.5 Creedmoor1.8"56 cm (22")16.6 mm (No.4)M14x13+1CERAKOTE™110 cm (43.3")BE114-308308 Win.1.12"56 cm (22")16.6 mm (No.4)M14x13+1CERAKOTE™115 cm (45.3")BE115-30063.0-06 Spring.1.10"61 cm (24")16.6 mm (No.4)M14x13+1CERAKOTE™115 cm (45.3")BE115-30063.0-06 Spring.1.10"61 cm (24")16.6 mm (No.4)M14x13+1CERAKOTE™115 cm (45.3")BE115-30063.0-06 Spring.1.10"56 cm (22")16.6 mm (No.4)M14x13+1CERAKOTE™110 cm (43.3")BE115-3053.0-06 Spring.1.10"61 cm (24")16.6 mm (No.4)M14x13+1CERAKOTE™115 cm (45.3")BE115-3053.0-06 Spring.1.10"61 cm (24")16.6 mm (No.4)M14x13+1CERAKOTE™115 cm (45.3")BE115-3063.00 Win.Mag.1.9.5"61 cm (24")16.6 mm (No.4)M14x13+1CERAKOTE™115 cm (45.3")BE115-3073.00 Win.Mag.1.10"61 cm (24")19.1 mm (No.5.0M14x12+1CERAKOTE™110 cm (43.3")BE115-3753.30 Win.Mag.1.10"61 cm (24")19.1 mm (No.5.0M14x12+1CERAKOTE™110 cm (43.3")BE115-3763.75 H&H Mag.1.12"61 cm (24")19.1 mm (No.5.0M18x12+1CERAKOTE™115 cm (45.3")BE115-3763.75 H&H Mag.1.12"61 cm (24")12.1 mm (No.5.0M18x12+1<   |  |                                      |               |                            | - 12 1111 (10.0)                   |                            |          | CLI MOTE   |                  |  |
| BE115-65X       6.5x55 SE       1:8.66"       61 cm (24")       16.6 mm (No. 4)       M14x1       3+1       CERAKOTE™       115 cm (45.3")         BE115-3006       .30-06 Spring.       1:10"       61 cm (24")       16.6 mm (No. 4)       M14x1       3+1       CERAKOTE™       115 cm (45.3")         BE114-3006       .30-06 Spring.       1:10"       56 cm (22")       16.6 mm (No. 4)       M14x1       3+1       CERAKOTE™       115 cm (45.3")         BE115-8X5       8x57 JS       1:10"       61 cm (24")       16.6 mm (No. 4)       M14x1       3+1       CERAKOTE™       110 cm (43.3")         BE115-7RM       7 mm Rem.Mag.       1:9.5"       61 cm (24")       16.6 mm (No. 4)       M14x1       2+1       CERAKOTE™       115 cm (45.3")         BE115-300       .300 Win.Mag.       1:0"       61 cm (24")       16.6 mm (No. 4)       M14x1       2+1       CERAKOTE™       115 cm (45.3")         BE115-300       .300 Win.Mag.       1:10"       61 cm (24")       16.6 mm (No. 4)       M14x1       2+1       CERAKOTE™       115 cm (45.3")         BE115-338       .338 Win.Mag.       1:10"       61 cm (24")       19.1 mm (No. 5.5)       M15x1       2+1       CERAKOTE™       110 cm (43.3")         BE115-375       .375 H&H Mag. </td <td></td> <td></td> <td>1:8"</td> <td>56 cm (22")</td> <td>16.6 mm (No. 4)</td> <td>M14x1</td> <td>3+1</td> <td>CERAKOTE™</td> <td>110 cm (43.3″)</td> <td>3.5 kg (7.7 lbs)</td>  |  |                                      | 1:8"          | 56 cm (22")                | 16.6 mm (No. 4)                    | M14x1                      | 3+1      | CERAKOTE™  | 110 cm (43.3″)   | 3.5 kg (7.7 lbs)                                       |
| BE115-3006       .30-06 Spring.       1:10"       61 cm (24")       16.6 mm (No. 4)       M14x1       3+1       CERAKOTE™       115 cm (45.3")         BE114-3006       .30-06 Spring.       1:10"       56 cm (22")       16.6 mm (No. 4)       M14x1       3+1       CERAKOTE™       110 cm (43.3")         BE115-305       8x57 JS       1:10"       61 cm (24")       16.6 mm (No. 4)       M14x1       3+1       CERAKOTE™       110 cm (43.3")         BE115-8X5       8x57 JS       1:10"       61 cm (24")       16.6 mm (No. 4)       M14x1       3+1       CERAKOTE™       115 cm (45.3")         BE115-7RM       7 mm Rem. Mag.       1:9.5"       61 cm (24")       16.6 mm (No. 4)       M14x1       2+1       CERAKOTE™       115 cm (45.3")         BE115-300       .300 Win. Mag.       1:10"       61 cm (24")       16.6 mm (No. 4)       M14x1       2+1       CERAKOTE™       115 cm (45.3")         BE115-338       .338 Win. Mag.       1:10"       61 cm (24")       19.1 mm (No. 5.5)       M15x1       2+1       CERAKOTE™       110 cm (43.3")         BE115-375       .375 H&H Mag.       1:12"       61 cm (24")       19.1 mm (No. 5.5)       M18x1       2+1       CERAKOTE™       115 cm (45.3")         TIMBER - DETACHABLE MAGAZINE - EFFT HA   | .30  | 308 Win.                             | 1:12"         | 56 cm (22")                | 16.6 mm (No. 4)                    | M14x1                      | 3+1      | CERAKOTE™  | 110 cm (43.3")   | 3.4 kg (7.5 lbs)                                       |
| BE114-3006       .30-06 Spring.       1:10"       56 cm (22")       16.6 mm (No. 4)       M14x1       3+1       CERAKOTE™       110 cm (43.3")         BE115-8X5       8x57 JS       1:10"       61 cm (24")       16.6 mm (No. 4)       M14x1       3+1       CERAKOTE™       115 cm (45.3")         BE115-7RM       7 mm Rem. Mag.       1:9.5"       61 cm (24")       16.6 mm (No. 4)       M14x1       2+1       CERAKOTE™       115 cm (45.3")         BE115-300       .300 Win. Mag.       1:10"       61 cm (24")       16.6 mm (No. 4)       M14x1       2+1       CERAKOTE™       115 cm (45.3")         BE115-300       .300 Win. Mag.       1:10"       61 cm (24")       16.6 mm (No. 4)       M14x1       2+1       CERAKOTE™       115 cm (45.3")         BE115-338       .338 Win. Mag.       1:10"       61 cm (24")       19.1 mm (No.5.5)       M15x1       2+1       CERAKOTE™       110 cm (43.3")         BE115-375       .375 H&H Mag.       1:12"       61 cm (24")       21.2 mm (No.6)       M18x1       2+1       CERAKOTE™       110 cm (45.3")         TIMBER - DETACHABLE MAGAZINE - LEFT HANDE       E       E       HAGAZINE - LEFT HANDE       E       HAGAZINE - LEFT HANDE       HAGAZINE - LEFT HANDE       HAGAZINE - LEFT HANDE       HAGAZINE - LEFT HANDE  | 5X 6.5   | .5x55 SE                             | 1:8.66"       | 61 cm (24")                | 16.6 mm (No. 4)                    | M14x1                      | 3+1      | CERAKOTE™  | 115 cm (45.3")   | 3.5 kg (7.7 lbs)                                       |
| Best         Best <t< td=""><td>.30</td><td>30-06 Spring.</td><td>1:10"</td><td>61 cm (24")</td><td>16.6 mm (No. 4)</td><td>M14x1</td><td>3+1</td><td>CERAKOTE™</td><td>115 cm (45.3")</td><td>3.5 kg (7.7 lbs)</td></t<>  | .30  | 30-06 Spring.                        | 1:10"         | 61 cm (24")                | 16.6 mm (No. 4)                    | M14x1                      | 3+1      | CERAKOTE™  | 115 cm (45.3")   | 3.5 kg (7.7 lbs)                                       |
| BE115-8X5         8x57 JS         1:10"         61 cm (24")         16.6 mm (No. 4)         M14x1         3+1         CERAKOTE™         115 cm (45.3")           BE115-7RM         7 mm Rem. Mag.         1:9.5"         61 cm (24")         16.6 mm (No. 4)         M14x1         2+1         CERAKOTE™         115 cm (45.3")           BE115-300         .300 Win. Mag.         1:10"         61 cm (24")         16.6 mm (No. 4)         M14x1         2+1         CERAKOTE™         115 cm (45.3")           BE115-300         .300 Win. Mag.         1:10"         61 cm (24")         16.6 mm (No. 4)         M14x1         2+1         CERAKOTE™         115 cm (45.3")           BE115-338         .338 Win. Mag.         1:10"         61 cm (24")         19.1 mm (No. 5.5)         M15x1         2+1         CERAKOTE™         110 cm (43.3")           BE115-375         .375 H&H Mag.         1:12"         61 cm (24")         21.2 mm (No. 6)         M18x1         2+1         CERAKOTE™         115 cm (45.3")           TIMBER - DETACHABLE MAGAZINE - LEFT HANDEU         UT         115 cm (21")         21.2 mm (No. 6)         M18x1         2+1         CERAKOTE™         115 cm (45.3")           BE114-65Z         6.5 Creedmoor         1:8"         56 cm (22")         16.6 mm (No. 4)         M14x1         3  |  |                                      |               |                            |                                    |                            |          |            |                  | 3.5 kg (7.7 lbs)                                       |
| BE115-7RM       7 mm Rem. Mag.       1:9.5"       61 cm (24")       16.6 mm (No. 4)       M14x1       2+1       CERAKOTE™       115 cm (45.3")         BE115-300       .300 Win. Mag.       1:10"       61 cm (24")       16.6 mm (No. 4)       M14x1       2+1       CERAKOTE™       115 cm (45.3")         BE115-338       .338 Win. Mag.       1:10"       61 cm (24")       19.1 mm (No. 5.5)       M15x1       2+1       CERAKOTE™       110 cm (43.3")         BE115-375       .375 H&H Mag.       1:12"       61 cm (24")       21.2 mm (No. 6)       M18x1       2+1       CERAKOTE™       110 cm (43.3")         TIMBER - DETACHABLE MAGAZINE - LEFT HANDE       UT       81 cm (22")       12.2 mm (No. 6)       M18x1       2+1       CERAKOTE™       115 cm (45.3")         BE114-65Z       6.5 Creedmoor       1:8"       56 cm (22")       16.6 mm (No. 4)       M14x1       3+1       CERAKOTE™       107 cm (42.1")         BE114-308Z       .308 Win.       1:12"       56 cm (22")       16.6 mm (No. 4)       M14x1       3+1       CERAKOTE™       107 cm (42.1")  |  | 1 5                                  |               |                            |                                    |                            |          |            |                  | 3.5 kg (7.7 lbs)                                       |
| BE115-300       .300 Win. Mag.       1:10"       61 cm (24")       16.6 mm (No. 4)       M14x1       2+1       CERAKOTE™       115 cm (45.3")         BE115-338       .338 Win. Mag.       1:10"       61 cm (24")       19.1 mm (No. 5.5)       M15x1       2+1       CERAKOTE™       110 cm (43.3")         BE115-375       .375 H&H Mag.       1:12"       61 cm (24")       21.2 mm (No. 6)       M18x1       2+1       CERAKOTE™       115 cm (45.3")         TIMBER - DETACHABLE MAGAZINE - LEFT HANDE       E       E       E       E       E       E       115 cm (45.1")         BE114-65Z       6.5 Creedmoor       1:8"       56 cm (22")       16.6 mm (No.4)       M14x1       3+1       CERAKOTE™       107 cm (42.1")         BE114-308Z       .308 Win.       1:12"       56 cm (22")       16.6 mm (No.4)       M14x1       3+1       CERAKOTE™       107 cm (42.1")  |  |                                      |               |                            | . ,                                |                            |          |            |                  | 3.5 kg (7.7 lbs)                                       |
| BE115-338       .338 Win. Mag.       1:10"       61 cm (24")       19.1 mm (No. 5.5)       M15x1       2+1       CERAKOTE™       110 cm (43.3")         BE115-375       .375 H&H Mag.       1:12"       61 cm (24")       21.2 mm (No. 6)       M18x1       2+1       CERAKOTE™       110 cm (43.3")         TIMBER - DETACHABLE MAGAZINE - LEFT HANDEU       BE114-65Z       6.5 Creedmoor       1:8"       56 cm (22")       16.6 mm (No. 4)       M14x1       3+1       CERAKOTE™       107 cm (42.1")         BE114-308Z       .308 Win.       1:12"       56 cm (22")       16.6 mm (No. 4)       M14x1       3+1       CERAKOTE™       107 cm (42.1")  |  |                                      |               |                            |                                    |                            |          |            |                  | 3.5 kg (7.7 lbs)                                       |
| BE115-375       .375 H&H Mag.       1:12"       61 cm (24")       21.2 mm (No. 6)       M18x1       2+1       CERAKOTE™       115 cm (45.3")         TIMBER - DETACHABLE MAGAZINE - LEFT HANDED       EFT HANDED       EFT HANDED       EFT HANDED       Information       M14x1       3+1       CERAKOTE™       107 cm (42.1")         BE114-308Z       .308 Win.       1:12"       56 cm (22")       16.6 mm (No. 4)       M14x1       3+1       CERAKOTE™       107 cm (42.1")  |  | 0                                    |               |                            |                                    |                            |          |            |                  | -  |
| TIMBER - DETACHABLE MAGAZINE - LEFT HANDED           BE114-65Z         6.5 Creedmoor         1:8"         56 cm (22")         16.6 mm (No. 4)         M14x1         3+1         CERAKOTE™         107 cm (42.1")           BE114-308Z         .308 Win.         1:12"         56 cm (22")         16.6 mm (No. 4)         M14x1         3+1         CERAKOTE™         107 cm (42.1")   |  |                                      |               |                            | . ,                                |                            |          |            |                  | 3.5 kg (7.7 lbs)<br>3.7 kg (8.1 lbs)                   |
| BE114-65Z         6.5 Creedmoor         1:8"         56 cm (22")         16.6 mm (No. 4)         M14x1         3+1         CERAKOTE™         107 cm (42.1")           BE114-308Z         .308 Win.         1:12"         56 cm (22")         16.6 mm (No. 4)         M14x1         3+1         CERAKOTE™         107 cm (42.1")  |  | 5                                    |               |                            | 21.2 mm (NO. 0)                    | WITOXT                     | 271      | CERAROTE   | 115 cm (45.5 )   | 5.7 Kg (0.1 103)                                       |
|  |  |                                      |               |                            | 16.6 mm (No. 4)                    | M14x1                      | 3+1      | CERAKOTE™  | 107 cm (42.1″)   | 3.4 kg (7.5 lbs)                                       |
|  | )8Z .3(  | 308 Win.                             | 1:12"         | 56 cm (22")                | 16.6 mm (No. 4)                    | M14x1                      | 3+1      | CERAKOTE™  | 107 cm (42.1")   | 3.4 kg (7.5 lbs)                                       |
| BE115-7RMZ   7 mm Rem. Mag.   1:9.5"   61 cm (24")   16.6 mm (No. 4)   M14x1   3+1   CERAKOTE™   115 cm (45.3")  | RMZ 7 r  | mm Rem. Mag.                         | 1:9.5"        | 61 cm (24")                | 16.6 mm (No. 4)                    | M14x1                      | 3+1      | CERAKOTE™  | 115 cm (45.3")   | 3.5 kg (7.7 lbs)                                       |
| BE115-300Z .300 Win. Mag. 1:10" 61 cm (24") 16.6 mm (No. 4) M14x1 2+1 CERAKOTE™ 115 cm (45.3")   |  |                                      | 1:10"         |                            |                                    | M14x1                      | 2+1      | CERAKOTE™  | · · ·            | 3.5 kg (7.7 lbs)                                       |
| BE115-338Z .338 Win. Mag. 1:10" 61 cm (24") 19.1 mm (No. 5.5) M15x1 2+1 CERAKOTE™ 110 cm (43.3")   |  | -                                    |               |                            |                                    |                            |          |            |                  | 3.5 kg (7.7 lbs)                                       |
| TIMBER - FLOORPLATE MAGAZINE   |  | 5                                    |               | 01 cm (21)                 | (101515)                           | IIIISKI                    | - · ·    | CERTITIONE |                  | 515 kg (717 1857)                                      |
| BE114F-65 6.5 Creedmoor 1:8" 56 cm (22") 16.6 mm (No. 4) M14x1 4+1 CERAKOTE™ 110 cm (43.3")  |  |                                      | 1:8"          | 56 cm (22")                | 16.6 mm (No. 4)                    | M14x1                      | 4+1      | CERAKOTE™  | 110 cm (43.3″)   | 3.4 kg (7.5 lbs)                                       |
| BE114F-308 .308 Win. 1:12" 56 cm (22") 16.6 mm (No. 4) M14x1 4+1 CERAKOTE™ 110 cm (43.3")  | .30  | 308 Win.                             | 1:12"         | 56 cm (22")                | 16.6 mm (No. 4)                    | M14x1                      | 4+1      | CERAKOTE™  | 110 cm (43.3")   | 3.5 kg (7.7 lbs)                                       |
| BE115F-65X 6.5x55 SE 1:8.66" 61 cm (24") 16.6 mm (No. 4) M14x1 4+1 CERAKOTE™ 115 cm (45.3")  | 5X 6.5   | .5x55 SE                             | 1:8.66"       | 61 cm (24")                | 16.6 mm (No. 4)                    | M14x1                      | 4+1      | CERAKOTE™  | 115 cm (45.3″)   | 3.6 kg (7.9 lbs)                                       |
| BE114F-3006 .30-06 Spring. 1:10" 56 cm (22") 16.6 mm (No. 4) M14x1 4+1 CERAKOTE™ 110 cm (43.3")  | 3006 .30   | 30-06 Spring.                        | 1:10"         | 56 cm (22")                | 16.6 mm (No. 4)                    | M14x1                      | 4+1      | CERAKOTE™  | 110 cm (43.3")   | 3.5 kg (7.7 lbs)                                       |
| BE115F-3006 .30-06 Spring. 1:10" 61 cm (24") 16.6 mm (No. 4) M14x1 4+1 CERAKOTE™ 115 cm (45.3")  |  |                                      |               |                            |                                    | M14x1                      | 4+1      | CERAKOTE™  |                  | 3.6 kg (7.9 lbs)                                       |
| BE115F-8X5 8x57 JS 1:10" 61 cm (24") 16.6 mm (No. 4) M14x1 4+1 CERAKOTE™ 115 cm (45.3")  |  |                                      |               |                            | . ,                                |                            |          |            |                  | 3.6 kg (7.9 lbs)                                       |
| BE115F-7RM         7 mm Rem. Mag.         1:9.5"         61 cm (24")         16.6 mm (No. 4)         M14x1         3+1         CERAKOTE™         115 cm (45.3")  |  |                                      |               |                            |                                    |                            |          |            |                  | 3.6 kg (7.9 lbs)                                       |
| BE115F-300 .300 Win. Mag. 1:10" 61 cm (24") 16.6 mm (No. 4) M14x1 3+1 CERAKOTE <sup>™</sup> 115 cm (45.3")   |  | -                                    |               |                            |                                    |                            |          |            |                  | 3.6 kg (7.9 lbs)                                       |
| BE115F-338         .338 Win Mag.         1:10"         61 cm (24")         19.1 mm (No. 5.5)         M15x1         3+1         CERAKOTE         110 cm (43.3")   |  | 0                                    |               |                            |                                    |                            |          |            |                  | 3.5 kg (7.7 lbs)                                       |
| BE115F-375 .375 H&H Mag. 1:12" 61 cm (24") 21.2 mm (No.6) M18x1 3+1 CERAKOTE 110 cm (45.3")  |  |                                      |               |                            |                                    |                            |          |            |                  | 3.8 kg (8.3 lbs)                                       |
| TIMBER - FLOORPLATE MAGAZINE - LEFT HANDED   |  | -                                    |               |                            | 21.2 mm (100. 0)                   | WITOXT                     | 571      | CENAROTE   | 115 cm (45.5 )   | 5.0 Kg (0.5 lb3)                                       |
|  |  |                                      |               |                            | 16.6 mm (No. 4)                    | M14x1                      | 4+1      | CERAKOTE™  | 107 cm (42.1")   | 3.4 kg (7.5 lbs)                                       |
| BE114F-65Z 6.5 Creedmoor 1:8" 56 cm (22") 16.6 mm (No. 4) M14x1 4+1 CERAKOTE™ 107 cm (42.1")   |  |                                      | 1:12"         |                            | 16.6 mm (No. 4)                    |                            |          | CERAKOTE™  |                  | 3.4 kg (7.5 lbs)                                       |
|  |  |                                      |               |                            |                                    |                            |          |            |                  | 3.5 kg (7.7 lbs)                                       |
| 3E114F-308Z .308 Win. 1:12" 56 cm (22") 16.6 mm (No. 4) M14x1 4+1 CERAKOTE™ 107 cm (42.1")   |  |                                      |               |                            |                                    |                            |          |            |                  | 3.5 kg (7.7 lbs)                                       |
| BE114F-308Z       .308 Win.       1:12"       56 cm (22")       16.6 mm (No. 4)       M14x1       4+1       CERAKOTE™       107 cm (42.1")         BE115F-7RMZ       7 mm Rem. Mag.       1:9.5"       61 cm (24")       16.6 mm (No. 4)       M14x1       3+1       CERAKOTE™       115 cm (45.3")  |  | 0                                    |               |                            |                                    |                            |          |            |                  | 3.5 kg (7.7 lbs)                                       |
| BE114F-308Z         .308 Win.         1:12"         56 cm (22")         16.6 mm (No. 4)         M14x1         4+1         CERAKOTE™         107 cm (42.1")           BE115F-7RMZ         7 mm Rem. Mag.         1:9.5"         61 cm (24")         16.6 mm (No. 4)         M14x1         3+1         CERAKOTE™         115 cm (45.3")           BE115F-300Z         .300 Win. Mag.         1:10"         61 cm (24")         16.6 mm (No. 4)         M14x1         3+1         CERAKOTE™         115 cm (45.3")  | 387 23   | 5                                    |               | 31 Cill (27)               | 12.1 1111 (140. 3.3)               |                            | 3.1      | CLIVINOIL  | . 13 (11 (-5.5 ) | 5.5 kg (7.7 103)                                       |
| BE114F-308Z         .308 Win.         1:12"         56 cm (22")         16.6 mm (No. 4)         M14x1         4+1         CERAKOTE™         107 cm (42.1")           BE115F-7RMZ         7 mm Rem. Mag.         1:9.5"         61 cm (24")         16.6 mm (No. 4)         M14x1         3+1         CERAKOTE™         115 cm (45.3")           BE115F-30Z         .300 Win. Mag.         1:10"         61 cm (24")         16.6 mm (No. 4)         M14x1         3+1         CERAKOTE™         115 cm (45.3")           BE115F-338Z         .338 Win. Mag.         1:10"         61 cm (24")         19.1 mm (No. 5.5)         M15x1         3+1         CERAKOTE™         115 cm (45.3")   |  |                                      |               | 54 (2010)                  | 17.8 mm (No. 5)                    | 5/8-24 UNEF                | 3+1      | CERAKOTE™  | 105 cm (41.1″)   | 3.1 kg (6.9 lbs)                                       |
| BE114F-308Z       .308 Win.       1:12"       56 cm (22")       16.6 mm (No. 4)       M14x1       4+1       CERAKOTE™       107 cm (42.1")         BE115F-7RMZ       7 mm Rem. Mag.       1:9.5"       61 cm (24")       16.6 mm (No. 4)       M14x1       3+1       CERAKOTE™       115 cm (45.3")         BE115F-300Z       .300 Win. Mag.       1:10"       61 cm (24")       16.6 mm (No. 4)       M14x1       3+1       CERAKOTE™       115 cm (45.3")         BE115F-338Z       .338 Win. Mag.       1:10"       61 cm (24")       19.1 mm (No. 5.5)       M15x1       3+1       CERAKOTE™       115 cm (45.3")         CERST - DETACHABLE MAGAZINE  | DETACHABLE   |                                      | 1:10″         | 51 cm (20″)                | 17.0 11111 (110. 5)                |                            |          |            |                  |  |
| BE114F-308Z         .308 Win.         1:12"         56 cm (22")         16.6 mm (No.4)         M14x1         4+1         CERAKOTE™         107 cm (42.1")           BE115F-7RMZ         7 mm Rem.Mag.         1:9.5"         61 cm (24")         16.6 mm (No.4)         M14x1         3+1         CERAKOTE™         115 cm (45.3")           BE115F-300Z         .300 Win.Mag.         1:10"         61 cm (24")         16.6 mm (No.4)         M14x1         3+1         CERAKOTE™         115 cm (45.3")           BE115F-338Z         .338 Win.Mag.         1:10"         61 cm (24")         19.1 mm (No.5.5)         M15x1         3+1         CERAKOTE™         115 cm (45.3")           CERST - DETACHAUET         USC         .308 Win.         1:10"         61 cm (24")         19.1 mm (No.5.5)         M15x1         3+1         CERAKOTE™         115 cm (45.3")           CREST - DETACHAUET         USC         .308 Win.         1:10"         51 cm (20")         17.8 mm (No.5.5)         S/8-24 UNEF         3+1         CERAKOTE™         105 cm (41.1")   | DETACHABLE   | 308 Win.                             |               |                            |                                    |                            | 3+1      | CERAKOTE™  | 105 cm (41.1")   | 3.1 kg (6.9 lbs)                                       |
| BE114F-308Z         .308 Win.         1:12"         56 cm (22")         16.6 mm (No. 4)         M14x1         4+1         CERAKOTE™         107 cm (42.1")           BE115F-7RMZ         7 mm Rem. Mag.         1:9.5"         61 cm (24")         16.6 mm (No. 4)         M14x1         3+1         CERAKOTE™         115 cm (45.3")           BE115F-300Z         .300 Win. Mag.         1:10"         61 cm (24")         16.6 mm (No. 4)         M14x1         3+1         CERAKOTE™         115 cm (45.3")           BE115F-302Z         .300 Win. Mag.         1:10"         61 cm (24")         16.6 mm (No. 4)         M14x1         3+1         CERAKOTE™         115 cm (45.3")           BE115F-338Z         .338 Win. Mag.         1:10"         61 cm (24")         19.1 mm (No.5.5)         M15x1         3+1         CERAKOTE™         115 cm (45.3")           CERST - DETACH-XE-XE         X         X         X         N15x1         3+1         CERAKOTE™         115 cm (45.3")           BE163-308         .308 Win.         1:10"         51 cm (20")         17.8 mm (No.5)         5/8-24 UNEF         3+1         CERAKOTE™         105 cm (41.1")           BE163-65         .65 Creedmoor         1:8"         51 cm (20")         17.8 mm (No.5)         5/8-24 UNEF         3+1         CERAKOTE™ <td>DETACHABLE<br/>08 .30<br/>5 6.5</td> <td>308 Win.<br/>.5 Creedmoor</td> <td>1:8"</td> <td>51 cm (20″)</td> <td>17.8 mm (No. 5)</td> <td>5/8-24 UNEF</td> <td></td> <td></td> <td></td> <td>3.1 kg (6.9 lbs)</td> | DETACHABLE<br>08 .30<br>5 6.5  | 308 Win.<br>.5 Creedmoor             | 1:8"          | 51 cm (20″)                | 17.8 mm (No. 5)                    | 5/8-24 UNEF                |          |            |                  | 3.1 kg (6.9 lbs)                                       |
| BE114F-308Z         .308 Win.         1:12"         56 cm (22")         16.6 mm (No.4)         M14x1         4+1         CERAKOTE™         107 cm (42.1")           BE115F-7RMZ         7 mm Rem.Mag.         1:9.5"         61 cm (24")         16.6 mm (No.4)         M14x1         3+1         CERAKOTE™         115 cm (45.3")           BE115F-300Z         .300 Win.Mag.         1:10"         61 cm (24")         16.6 mm (No.4)         M14x1         3+1         CERAKOTE™         115 cm (45.3")           BE115F-338Z         .338 Win.Mag.         1:10"         61 cm (24")         19.1 mm (No.5.5)         M15x1         3+1         CERAKOTE™         115 cm (45.3")           CERST - DETACHAUET         USC         .308 Win.         1:10"         61 cm (24")         19.1 mm (No.5.5)         M15x1         3+1         CERAKOTE™         115 cm (45.3")           CREST - DETACHAUET         USC         .308 Win.         1:10"         51 cm (20")         17.8 mm (No.5.5)         S/8-24 UNEF         3+1         CERAKOTE™         105 cm (41.1")   | DETACHABLE           08         .30           5         6.5           08         .30           5         6.5 | 308 Win.<br>.5 Creedmoor<br>308 Win. | 1:8"<br>1:10″ | 51 cm (20")<br>61 cm (24") | 17.8 mm (No. 5)<br>17.8 mm (No. 5) | 5/8-24 UNEF<br>5/8-24 UNEF | 3+1      | CERAKOTE™  | 115 cm (45.3″)   | 3.1 kg (6.9 lbs)<br>3.3 kg (7.3 bs)<br>3.3 kg (7.3 bs) |

### SPECIFICATIONS

|                | B14 SERIES RIFLES |        |                  |                 |                    |                      |           |                |                  |  |
|----------------|-------------------|--------|------------------|-----------------|--------------------|----------------------|-----------|----------------|------------------|--|
| ITEM #         | CALIBER           | TWIST  | BARREL<br>LENGTH | MUZZLE DIAMETER | METRICAL<br>THREAD | MAGAZINE<br>CAPACITY | FINISH    | OVERALL LENGTH | OVERALL WEIGHT   |  |
| HUNTER - DETAC | HABLE MAGAZINE    |        |                  |                 |                    |                      |           |                |                  |  |
| BE134-243      | .243 Win.         | 1:10"  | 56 cm (22")      | 16.6 mm (No. 4) | M14x1              | 3+1                  | CERAKOTE™ | 107 cm (42.1") | 3.2 kg (7 lbs)   |  |
| BE134-65       | 6.5 Creedmoor     | 1:8"   | 56 cm (22")      | 16.6 mm (No. 4) | M14x1              | 3+1                  | CERAKOTE™ | 105 cm (41.3″) | 3.1 kg (6.8 lbs) |  |
| BE134-308      | .308 Win.         | 1:12"  | 56 cm (22")      | 16.6 mm (No. 4) | M14x1              | 3+1                  | CERAKOTE™ | 107 cm (42.1″) | 3.2 kg (7 lbs)   |  |
| BE135-270      | .270 Win.         | 1:10"  | 61 cm (24")      | 16.6 mm (No. 4) | M14x1              | 3+1                  | CERAKOTE™ | 112 cm (44.1″) | 3.3 kg (7.2 lbs) |  |
| BE135-3006     | .30-06 Spring.    | 1:10"  | 61 cm (24")      | 16.6 mm (No. 4) | M14x1              | 3+1                  | CERAKOTE™ | 112 cm (44.1″) | 3.3 kg (7.2 lbs) |  |
| BE135-7RM      | 7 mm Rem. Mag.    | 1:9.5" | 61 cm (24")      | 16.6 mm (No. 4) | M14x1              | 2+1                  | CERAKOTE™ | 112 cm (44.1″) | 3.3 kg (7.2 lbs) |  |
| BE135-300      | .300 Win. Mag.    | 1:10"  | 61 cm (24")      | 16.6 mm (No. 4) | M14x1              | 2+1                  | CERAKOTE™ | 112 cm (44.1") | 3.3 kg (7.2 lbs) |  |
| HUNTER - FLOOF | RPLATE MAGAZINE   |        |                  |                 |                    |                      |           |                |                  |  |
| BE134F-243     | .243 Win.         | 1:10"  | 56 cm (22")      | 16.6 mm (No. 4) | M14x1              | 4+1                  | CERAKOTE™ | 107 cm (42.1″) | 3.2 kg (7 lbs)   |  |
| BE134F-65      | 6.5 Creedmoor     | 1:8"   | 56 cm (22")      | 16.6 mm (No. 4) | M14x1              | 4+1                  | CERAKOTE™ | 105 cm (41.3″) | 3.2 kg (7 lbs)   |  |
| BE134F-308     | .308 Win.         | 1:12"  | 56 cm (22")      | 16.6 mm (No. 4) | M14x1              | 4+1                  | CERAKOTE™ | 107 cm (42.1″) | 3.2 kg (7 lbs)   |  |
| BE135F-270     | .270 Win.         | 1:10"  | 61 cm (24")      | 16.6 mm (No. 4) | M14x1              | 4+1                  | CERAKOTE™ | 112 cm (44.1″) | 3.3 kg (7.2 lbs) |  |
| BE135F-3006    | .30-06 Spring.    | 1:10"  | 61 cm (24")      | 16.6 mm (No. 4) | M14x1              | 4+1                  | CERAKOTE™ | 112 cm (44.1″) | 3.3 kg (7.2 lbs) |  |
| BE135F-7RM     | 7 mm Rem. Mag.    | 1:9.5" | 61 cm (24")      | 16.6 mm (No. 4) | M14x1              | 3+1                  | CERAKOTE™ | 112 cm (44.1″) | 3.3 kg (7.2 lbs) |  |
| BE135F-300     | .300 Win. Mag.    | 1:10"  | 61 cm (24")      | 16.6 mm (No. 4) | M14x1              | 3+1                  | CERAKOTE™ | 112 cm (44.1") | 3.3 kg (7.2 lbs) |  |

### **RIMFIRE SERIES RIFLES** BARREL LENGTH CALIBER MUZZLE DIAMETE **B14-RTRAIN** ARBON BR142-22LR .22LR 1:16" 46 cm (18") 21.2 mm (No. 6) BR142-22LRZ .22LR(Lefthanded) 1:16" 46 cm (18") 21.2 mm (No. 6) BR143-17HMR .17HMR 1:9" 51 cm (20") 21.2 mm (No. 6) BR143-22W .22WMR 1:16" 51 cm (20") 21.2 mm (No. 6) **BARRELED ACTION - TRAINER CARBON** BRA142-22LR .22LR 1:16" 46 cm (18") 21.2 mm (No. 6) .22LR(Lefthanded) 1:16" 21.2 mm (No. 6) BRA142-22LRZ 46 cm (18") **B14-R TRAINER** STEEL .22LR 1:16" 46 cm (18") 21.2 mm (No. 6) BR132-22LR BR132-22LRZ .22LR(Lefthanded) 1:16" 46 cm (18") 21.2 mm (No. 6) BR133-17HMR .17HMR 1:9" 21.2 mm (No. 6) 51 cm (20") .22WMR 1:16" BR133-22W 51 cm (20") 21.2 mm (No. 6) BARRELED ACTION - TRAINER STEEL BRA132-22LR .22LR 1:16" 46 cm (18") 21.2 mm (No. 6) BRA132-22LRZ .22LR(Lefthanded) 1:16" 46 cm (18") 21.2 mm (No. 6) BMR CARBON BR162-22LR .22LR 1:16" 46 cm (18") 21.2 mm (No. 6) .22WMR 1:16" 21.2 mm (No. 6) BR163-22W 51 cm (20") BR163-17HMR .17HMR 1:9" 51 cm (20") 21.2 mm (No. 6) BMR STEEL BR152-22LR .22LR 1:16" 46 cm (18") 21.2 mm (No. 6) BR153-22W .22WMR 1:16" 51 cm (20") 21.2 mm (No. 6) 21.2 mm (No. 6) BR153-17HMR .17HMR 1:9" 51 cm (20") **BXR CARBON** 42 cm (16.5") 21.2 mm (No. 6) BR121-22LR .22LR 1:16" **BXR STEEL** BR111-22LR .22LR 1:16" 42 cm (16.5") 21.2 mm (No. 6)

| L - |                  |                      |              |                 |                  |
|-----|------------------|----------------------|--------------|-----------------|------------------|
| ER  | BARREL<br>THREAD | MAGAZINE<br>CAPACITY | FINISH       | OVERALL LENGTH  | OVERALL WEIGHT   |
|     | 1                |                      | 1            | I               | 1                |
|     | 1/2-28           | 10                   | Carbon fiber | 96 cm (37.8″)   | 3.7 kg (8.1 lbs) |
|     | 1/2-28           | 10                   | Carbon fiber | 96 cm (37.8″)   | 3.7 kg (8.1 lbs) |
|     | 1/2-28           | 10                   | Carbon fiber | 101 cm (39.7")  | 3.8 kg (8.4 lbs) |
|     | 1/2-28           | 10                   | Carbon fiber | 101 cm (39.7")  | 3.8 kg (8.4 lbs) |
|     | 1                |                      | 1            | 1               | 1                |
|     | 1/2-28           | 10                   | Carbon fiber | -               | -                |
|     | 1/2-28           | 10                   | Carbon fiber | -               | -                |
|     |                  |                      |              |                 |                  |
|     | 1/2-28           | 10                   | Matte blued  | 96 cm (37.8″)   | 4.1 kg (9 lbs)   |
|     | 1/2-28           | 10                   | Matte blued  | 96 cm (37.8″)   | 3.7 kg (8.1 lbs) |
|     | 1/2-28           | 10                   | Matte blued  | 101 cm (39.7")  | 4.2 kg (9.2 lbs) |
|     | 1/2-28           | 10                   | Matte blued  | 101 cm (39.7")  | 4.2 kg (9.2 lbs) |
|     | 1                |                      | 1            |                 | 1                |
|     | 1/2-28           | 10                   | Matte blued  | -               | -                |
|     | 1/2-28           | 10                   | Matte blued  | -               | -                |
|     |                  |                      |              |                 |                  |
|     | 1/2-28           | 5 and 10             | Carbon fiber | 92 cm (36.2")   | 2.3 kg (5 lbs)   |
|     | 1/2-28           | 5 and 10             | Carbon fiber | 97 cm (38.1")   | 2.4 kg (5.4 lbs) |
|     | 1/2-28           | 5 and 10             | Carbon fiber | 97 cm (38.1″)   | 2.4 kg (5.4 lbs) |
|     |                  |                      |              |                 |                  |
|     | 1/2-28           | 5 and 10             | Matte blued  | 92 cm (36.2″)   | 2.5 kg (5.5 lbs) |
|     | 1/2-28           | 5 and 10             | Matte blued  | 97 cm (38.1″)   | 2.6 kg (5.7 lbs) |
|     | 1/2-28           | 5 and 10             | Matte blued  | 97 cm (38.1″)   | 2.5 kg (5.5 lbs) |
|     |                  |                      |              |                 |                  |
|     | 1/2-28           | 10                   | Carbon fiber | 88 cm (34.6″)   | 2.1 kg (4.6 lbs) |
|     | 1/2-28           | 10                   | Matte blued  | 88 cm (34.6″)   | 2.3 kg (5 lbs)   |
|     | 1/2-20           |                      | matte blueu  | 00 (111 (34.0 ) | 2.3 kg (3 103)   |

|                    |                          |             | BA13 TAK      | E DOWN SERIES F    | RIFLES        |                |                  |
|--------------------|--------------------------|-------------|---------------|--------------------|---------------|----------------|------------------|
| ITEM #             | CALIBER                  | TWIST       | BARREL LENGTH | MUZZLE DIAMETER    | BARREL THREAD | OVERALL LENGTH | OVERALL WEIGHT   |
| BA13 THUMBH        | HOLE - BLUED             |             |               |                    |               |                |                  |
| BA123-222          | .222 Rem.                | 1:14″       | 51 cm (20")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.2 kg (7 lbs)   |
| BA123-243          | .243 Win.                | 1:10″       | 51 cm (20")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.2 kg (7 lbs)   |
| BA121-300B         | .300 BLACKOUT            | 1:8"        | 42 cm (16.5") | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 80 cm (31.5″)  | 3 kg (6.6 lbs)   |
| BA122-300B         | .300 BLACKOUT            | 1:8"        | 46 cm (18")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 84 cm (33″)    | 3.1 kg (6.8 lbs) |
| BA121-308          | .308 Win.                | 1:8"        | 42 cm (16.5") | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 80 cm (31.5″)  | 3 kg (6.6 lbs)   |
| BA123-308          | .308 Win.                | 1:12"       | 51 cm (20")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.2 kg (7 lbs)   |
| BA122-308          | .308 Win.                | 1:8"        | 46 cm (18")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 84 cm (33″)    | 3.1 kg (6.8 lbs) |
| BA123-3006         | .30-06 Spring.           | 1:10"       | 51 cm (20")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.2 kg (7 lbs)   |
| BA123-4570         | .45-70 Govt.             | 1:20"       | 51 cm (20")   | 19 mm (No. 5.5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.2 kg (7 lbs)   |
| BA123-8X5          | 8X57 JRS                 | 1:9.5"      | 51 cm (20")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35")    | 3.2 kg (7 lbs)   |
|                    | OLE CAMO STRATA -        |             |               | 1710 1111 (1101 5) | 5/0 21 01121  |                | 512 (ig (/ 105)  |
| BA123-223ST        | .223 REM                 | 1:8″        | 51 cm (20″)   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.2 kg (7 lbs)   |
| BA123-65ST         | 6,5 Creedmoor            | 1:8″        | 51 cm (20")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.2 kg (7 lbs)   |
| BA123-308ST        | .308 Win.                | 1:12″       | 51 cm (20")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35")    | 3.2 kg (7 lbs)   |
|                    | IOLE GREEN - BLUED       |             |               |                    |               |                |                  |
| BA123-223G         | .223 REM                 | 1:8″        | 51 cm (20″)   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.2 kg (7 lbs)   |
| BA123-65G          | 6,5 Creedmoor            | 1:8″        | 51 cm (20")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.2 kg (7 lbs)   |
| BA123-308G         | .308 Win.                | 1:12″       | 51 cm (20")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.2 kg (7 lbs)   |
|                    | HOLE - STAINLESS STEEL   |             |               | ( ····,            |               |                | J. J. V.         |
| BA123-308S         | .308 Win.                | 1:12"       | 51 cm (20")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.2 kg (7 lbs)   |
| <b>BA13 STANDA</b> | RD - BLUED - OPEN SIGH   | ITS         |               |                    |               |                |                  |
| BA113A-222         | .222 Rem.                | 1:14″       | 51 cm (20")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.2 kg (7 lbs)   |
| BA113A-243         | .243 Win.                | 1:10"       | 51 cm (20")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.1 kg (6.8 lbs) |
| BA113A-308         | .308 Win.                | 1:12"       | 51 cm (20")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.1 kg (6.8 lbs) |
| BA113A-3006        | .30-06 Spring.           | 1:10"       | 51 cm (20")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.1 kg (6.8 lbs) |
| BA113A-4570        | .45-70 Govt.             | 1:20"       | 51 cm (20")   | 19 mm (No. 5.5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.1 kg (6.8 lbs) |
| BA113A-8X5         | 8x57 JRS                 | 1:9.5"      | 51 cm (20")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.2 kg (7 lbs)   |
| BA13 STANDA        | RD - BLUED               |             |               |                    |               |                |                  |
| BA111-300B         | .300 BLACKOUT            | 1:8"        | 42 cm (16.5") | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 80 cm (31.5″)  | 2.9 kg (6.4 lbs) |
| BA112-300B         | .300 BLACKOUT            | 1:8"        | 46 cm (18")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 84 cm (33″)    | 3.1 kg (6.8 lbs) |
| BA111-308          | .308 Win.                | 1:8"        | 42 cm (16.5") | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 80 cm (31.5″)  | 2.9 kg (6.4 lbs) |
| BA112-308          | .308 Win.                | 1:8"        | 46 cm (18")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 84 cm (33")    | 3.1 kg (6.8 lbs) |
| BA13 STANDA        | RD - STAINLESS STEEL     |             | . ,           |                    |               |                |                  |
| BA113-308S         | .308 Win.                | 1:12″       | 51 cm (20")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.1 kg (6.8 lbs) |
| BA13 STANDA        | RD - STAINLESS STEEL - O | OPEN SIGHTS |               |                    |               |                |                  |
| BA113A-308S        | .308 Win.                | 1:12″       | 51 cm (20")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.1 kg (6.8 lbs) |
|                    | RD CAMO STRATA - CE      |             |               |                    |               |                |                  |
| BA113-223ST        | .223 REM                 | 1:8″        | 51 cm (20")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.2 kg (7 lbs)   |
| BA113-65ST         | 6,5 Creedmoor            | 1:8″        | 51 cm (20″)   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.2 kg (7 lbs)   |
| BA113-308ST        | .308 Win.                | 1:12″       | 51 cm (20")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.2 kg (7 lbs)   |
|                    | RD GREEN - BLUED         |             |               |                    |               |                |                  |
| BA113-223G         | .223 REM                 | 1:8″        | 51 cm (20")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.2 kg (7 lbs)   |
| BA113-65G          | 6,5 Creedmoor            | 1:8″        | 51 cm (20")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.2 kg (7 lbs)   |
| BA113-308G         | .308 Win.                | 1:12″       | 51 cm (20")   | 17.8 mm (No. 5)    | 5/8-24 UNEF   | 89 cm (35″)    | 3.2 kg (7 lbs)   |

Bergara makes every effort to ensure that the information in this catalog is correct and accurate. However, continuous product refinements and design changes may result in revisions to models that may not be shown in this brochure. We reserve the right to make changes in specifications, models, features, materials, and colors at any time. Any and all errors in descriptions, and photos are subject to correction. Local laws and regulations may affect items in this catalog

No part of this catalog may be reproduced without the express authorization of BERGARA. All rights reserved. 2022.





## DISCOVER DUR LIMITED EDITIONS THROUGH 2022



Stay tuned